

# 2021 Florida Youth Substance Abuse Survey Statewide Tables

---

**Table 1. Major demographic characteristics of surveyed Florida youth, 2021**

	Unweighted		Weighted	
	N	%	N	%
<b>Sex</b>				
Female	3,880	47.3	3,958	48.3
Male	4,202	51.3	4,124	50.3
<b>Race/Ethnic group</b>				
American Indian	144	1.8	69	0.8
Asian	176	2.1	101	1.2
African American	1,264	15.4	1,760	21.5
Hispanic/Latino	1,855	22.6	1,680	20.5
Native Hawaiian/Pacific Islander	22	0.3	16	0.2
Other/Multiple	1,688	20.6	1,213	14.8
White, non-Hispanic	2,970	36.2	3,292	40.2
<b>Age</b>				
10	7	0.1	9	0.1
11	576	7.0	495	6.0
12	1,248	15.2	1,050	12.8
13	1,476	18.0	1,239	15.1
14	1,408	17.2	1,224	14.9
15	1,206	14.7	1,177	14.4
16	1,058	12.9	1,199	14.6
17	800	9.8	1,126	13.7
18	369	4.5	608	7.4
19 or older	35	0.4	57	0.7
<b>Grade</b>				
6th	1,362	16.6	1,167	14.2
7th	1,430	17.4	1,203	14.7
8th	1,416	17.3	1,188	14.5
9th	1,354	16.5	1,230	15.0
10th	1,107	13.5	1,183	14.4
11th	884	10.8	1,129	13.8
12th	646	7.9	1,098	13.4
<b>Middle School</b>	4,208	51.3	3,559	43.4
<b>High School</b>	3,991	48.7	4,640	56.6
<b>Total</b>	<b>8,199</b>	<b>100.0</b>	<b>8,199</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases.

**Table 2. Demographic characteristics of historical samples—2010 to 2021**

	2010		2012		2014		2016		2018		2020		2021	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>Sex</b>														
Female	35,119	48.2	34,179	48.2	31,702	48.1	31,515	47.9	26,340	48.2	25,191	48.4	3,958	48.3
Male	36,540	50.2	35,544	50.2	33,056	50.1	32,905	50.0	27,468	50.3	26,328	50.5	4,124	50.3
<b>Race/Ethnic group</b>														
African American	12,829	17.7	12,176	17.2	12,512	19.0	14,666	22.3	12,088	22.1	11,284	21.7	1,760	21.5
Hispanic/Latino	16,990	23.5	16,088	22.7	12,827	19.5	13,174	20.0	11,242	20.6	11,091	21.3	1,680	20.5
White, non-Hispanic	29,034	40.1	27,787	39.2	29,014	44.0	28,309	43.0	22,618	41.4	20,904	40.1	3,292	40.2
<b>Age</b>														
11	2,655	3.6	4,037	5.7	3,909	17.5	3,856	5.9	3,339	6.1	3,151	6.0	495	6.0
12	8,828	12.1	9,151	12.9	8,589	5.9	8,338	12.7	7,363	13.5	7,124	13.7	1,050	12.8
13	10,495	14.4	10,289	14.5	9,491	13.0	9,230	14.0	7,738	14.2	7,698	14.8	1,239	15.1
14	10,640	14.6	10,537	14.9	9,764	14.4	9,454	14.4	7,864	14.4	7,616	14.6	1,224	14.9
15	11,346	15.6	10,727	15.1	10,011	14.8	10,070	15.3	7,982	14.6	7,582	14.6	1,177	14.4
16	11,220	15.4	10,384	14.7	9,431	15.2	9,684	14.7	7,926	14.5	7,502	14.4	1,199	14.6
17	10,069	13.8	9,533	13.5	8,940	14.3	9,348	14.2	7,725	14.1	7,073	13.6	1,126	13.7
18	6,339	8.7	5,217	7.4	4,837	13.6	4,799	7.3	3,990	7.3	3,807	7.3	608	7.4
<b>Grade</b>														
6th	10,458	14.4	10,330	14.6	9,610	14.6	9,301	14.1	8,050	14.7	7,718	14.8	1,167	14.2
7th	10,655	14.6	10,332	14.6	9,611	14.6	9,215	14.0	7,706	14.1	7,555	14.5	1,203	14.7
8th	10,428	14.3	10,134	14.3	9,427	14.3	9,326	14.2	7,715	14.1	7,632	14.6	1,188	14.5
9th	11,566	15.9	11,051	15.6	10,281	15.6	10,140	15.4	8,024	14.7	7,668	14.7	1,230	15.0
10th	10,486	14.4	10,314	14.6	9,595	14.6	9,834	15.0	7,925	14.5	7,481	14.4	1,183	14.4
11th	10,131	13.9	9,879	13.9	9,190	13.9	9,254	14.1	7,775	14.2	7,117	13.7	1,129	13.8
12th	9,072	12.5	8,819	12.4	8,203	12.4	8,705	13.2	7,417	13.6	6,923	13.3	1,098	13.4
<b>Middle School</b>	31,541	43.3	30,796	43.5	28,547	43.3	27,678	42.1	23,470	43.0	22,904	44.0	3,559	43.4
<b>High School</b>	41,256	56.7	40,063	56.5	37,164	56.4	37,765	57.4	31,141	57.0	29,189	56.0	4,640	56.6
<b>Total</b>	<b>72,797</b>	<b>100.0</b>	<b>70,859</b>	<b>100.0</b>	<b>65,917</b>	<b>100.0</b>	<b>65,776</b>	<b>100.0</b>	<b>54,611</b>	<b>100.0</b>	<b>52,093</b>	<b>100.0</b>	<b>8,199</b>	<b>100.0</b>

Note: Demographic results represent samples after sample weights have been applied.

**Table 3. Lifetime prevalence of ATOD use, 2021**

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	15.7	23.1	30.8	35.0	40.2	41.3	50.6
Cigarettes	4.7	5.5	8.4	7.2	8.2	12.2	9.3
Vaping Nicotine	8.2	15.0	22.1	22.7	27.8	30.7	31.9
Vaping Marijuana	2.9	5.6	10.9	12.6	20.4	23.9	29.0
Marijuana or Hashish	2.9	6.8	11.6	16.0	25.0	31.2	34.6
Synthetic Marijuana	--	--	--	1.8	3.1	2.7	1.9
Inhalants	9.0	7.4	8.1	6.6	6.2	5.8	2.8
Club Drugs	0.1	0.1	0.6	1.0	2.0	2.4	0.6
LSD, PCP or Mushrooms	0.8	0.9	1.1	2.0	4.9	5.6	6.4
Methamphetamine	0.5	0.3	0.7	0.4	0.5	0.4	0.5
Cocaine or Crack Cocaine	0.5	0.3	1.1	0.9	1.0	1.4	1.7
Heroin	0.0	0.6	0.4	0.3	0.1	0.0	0.6
Depressants	1.4	1.8	2.3	2.3	3.4	4.1	4.3
Prescription Pain Relievers	2.9	2.4	3.2	2.8	3.5	2.9	2.9
Prescription Amphetamines	1.8	2.4	2.5	3.3	4.5	4.4	4.3
Over-the-Counter Drugs	2.2	1.7	4.0	3.8	4.7	3.7	2.2
Needle to Inject Illegal Drugs	--	--	--	0.4	0.1	0.9	0.8

**Table 4. Past-30-day prevalence of ATOD use, 2021**

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	4.5	6.6	11.0	12.1	18.5	20.5	24.1
Binge Drinking	2.8	3.6	4.6	7.1	8.0	9.8	11.4
Cigarettes	0.9	0.6	1.1	1.2	1.6	1.4	1.4
Vaping Nicotine	3.0	5.9	10.1	11.4	14.4	16.2	17.5
Vaping Marijuana	1.4	2.0	4.2	6.0	9.8	11.1	12.9
Marijuana or Hashish	1.1	2.1	4.9	8.2	13.3	17.4	18.6
Synthetic Marijuana	--	--	--	0.4	1.0	1.0	0.0
Inhalants	2.4	2.4	1.6	1.3	1.0	1.6	0.4
Club Drugs	0.0	0.0	0.3	0.3	0.4	0.7	0.2
LSD, PCP or Mushrooms	0.1	0.1	0.5	1.0	1.0	1.6	1.2
Methamphetamine	0.1	0.1	0.3	0.2	0.2	0.5	0.5
Cocaine or Crack Cocaine	0.2	0.0	0.6	0.2	0.3	0.5	0.2
Heroin	0.1	0.3	0.2	0.1	0.2	0.3	0.5
Depressants	0.3	0.8	0.8	1.0	0.8	0.9	0.3
Prescription Pain Relievers	1.3	1.2	0.9	0.9	1.0	0.2	0.3
Prescription Amphetamines	0.1	0.4	1.1	0.9	1.5	1.2	0.5
Over-the-Counter Drugs	0.8	0.6	1.3	1.2	1.6	1.2	0.2

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

**Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2010 to 2021**

	Alcohol Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	53.0	48.8	44.3	41.3	38.9	38.3	36.8	29.4	25.3	21.7	19.9	16.8	15.9	16.0
Male	50.2	45.8	40.9	37.1	34.1	32.5	30.7	28.3	23.8	19.4	17.0	13.8	13.7	11.7
<b>Race/Ethnic group</b>														
African American	45.0	38.7	34.3	31.0	28.2	26.4	22.7	21.7	17.4	13.8	12.4	9.5	9.1	7.0
Hispanic/Latino	54.0	48.8	45.3	41.5	38.3	35.3	32.5	30.3	25.5	22.0	18.6	15.3	14.0	10.9
White, non-Hispanic	54.4	50.5	46.0	42.1	39.8	39.6	39.2	32.4	27.6	23.7	21.4	18.4	18.0	17.9
<b>Age</b>														
11	15.2	14.6	11.2	10.0	10.9	12.9	16.2	5.7	5.6	3.8	2.5	2.8	4.4	4.1
12	25.2	21.0	18.1	15.7	15.3	18.4	16.3	10.3	7.2	6.1	5.3	4.5	6.0	4.7
13	36.4	31.6	28.0	24.8	23.9	26.1	27.7	16.8	14.0	11.2	9.4	8.3	9.2	9.2
14	49.2	44.8	39.0	34.6	33.9	33.0	32.5	25.3	20.3	18.3	14.7	13.2	12.3	10.9
15	58.0	54.8	48.6	43.4	39.0	38.4	36.8	32.3	29.1	22.7	19.9	15.8	15.8	14.8
16	64.4	62.4	58.0	51.4	49.9	45.3	42.3	37.4	33.4	28.3	23.6	21.4	19.4	19.4
17	68.5	68.4	63.9	60.3	55.5	51.2	43.8	41.9	40.2	34.1	32.4	25.6	24.0	22.9
18	70.2	68.9	64.4	61.3	55.5	52.8	48.6	46.6	42.0	36.2	34.5	28.5	27.3	20.9
<b>Grade</b>														
6th	22.6	17.4	15.1	12.5	12.6	15.3	15.7	9.4	6.5	5.0	4.0	3.8	5.1	4.5
7th	35.1	29.3	24.0	21.6	20.5	22.9	23.1	16.8	12.0	9.5	7.7	6.3	8.1	6.6
8th	48.0	40.2	35.9	31.2	29.5	30.7	30.8	24.1	18.5	15.9	13.2	11.9	11.3	11.0
9th	56.4	51.8	45.4	39.9	37.7	35.0	35.0	31.1	26.7	21.3	17.2	13.9	13.0	12.1
10th	63.7	58.6	54.0	47.9	45.2	42.3	40.2	37.1	31.4	26.3	22.3	19.5	18.2	18.5
11th	67.1	66.6	60.2	56.7	52.7	48.5	41.3	39.7	36.8	30.3	29.2	23.4	21.8	20.5
12th	70.3	70.1	66.9	62.8	57.3	55.1	50.6	46.0	42.7	37.5	34.4	28.3	27.5	24.1
<b>Middle School</b>	35.3	28.9	25.0	21.8	20.8	23.0	23.3	16.8	12.3	10.1	8.3	7.3	8.2	7.4
<b>High School</b>	63.9	61.3	56.0	51.4	48.0	44.9	41.6	38.0	33.9	28.4	25.5	21.2	19.9	18.6
<b>Total</b>	<b>51.5</b>	<b>47.3</b>	<b>42.6</b>	<b>39.1</b>	<b>36.5</b>	<b>35.3</b>	<b>33.6</b>	<b>28.8</b>	<b>24.6</b>	<b>20.5</b>	<b>18.3</b>	<b>15.3</b>	<b>14.8</b>	<b>13.8</b>

**Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2021**

	Alcohol						
	Number of Occasions in Past 30 Days						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
<b>Sex</b>							
Female	84.0	10.9	3.1	1.3	0.4	0.3	0.1
Male	88.3	6.9	2.6	1.2	0.5	0.1	0.4
<b>Race/Ethnic group</b>							
African American	93.0	4.3	1.4	0.7	0.2	0.1	0.3
Hispanic/Latino	89.1	7.6	2.0	0.8	0.2	0.2	0.2
White, non-Hispanic	82.1	11.4	3.8	1.7	0.6	0.3	0.1
<b>Age</b>							
11	95.9	3.3	0.6	0.3	0.0	0.0	0.0
12	95.3	3.5	0.3	0.3	0.3	0.2	0.2
13	90.8	6.2	1.9	0.6	0.2	0.2	0.1
14	89.1	7.3	1.9	0.8	0.4	0.1	0.4
15	85.2	9.7	3.1	1.4	0.3	0.1	0.2
16	80.6	12.2	3.6	1.9	1.2	0.3	0.3
17	77.1	14.6	4.8	2.3	0.6	0.3	0.3
18	79.1	11.3	7.1	2.1	0.0	0.4	0.0
<b>Grade</b>							
6th	95.5	3.2	0.4	0.3	0.3	0.0	0.2
7th	93.4	4.5	1.1	0.3	0.1	0.3	0.3
8th	89.0	7.5	2.0	0.8	0.3	0.2	0.2
9th	87.9	7.9	2.6	0.8	0.5	0.0	0.2
10th	81.5	11.7	3.5	2.1	0.9	0.2	0.2
11th	79.5	12.8	3.8	2.3	0.8	0.6	0.2
12th	75.9	14.8	6.7	1.9	0.1	0.2	0.3
<b>Middle School</b>	92.6	5.1	1.2	0.5	0.2	0.2	0.3
<b>High School</b>	81.4	11.7	4.1	1.8	0.6	0.2	0.2
<b>Total</b>	<b>86.2</b>	<b>8.8</b>	<b>2.9</b>	<b>1.2</b>	<b>0.4</b>	<b>0.2</b>	<b>0.2</b>

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 7. Percentage of surveyed Florida youth who reported binge drinking and blacking out after drinking alcohol—2010 to 2021**

	High-Risk Alcohol Use													
	Binge Drinking							Blacking Out						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %			2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	13.0	10.6	9.5	7.9	6.7	6.8	7.7			19.8	16.5	15.0	14.2	14.5
Male	15.2	11.9	9.4	7.7	6.9	6.4	5.8			18.1	15.4	13.5	13.3	10.3
<b>Race/Ethnic group</b>														
African American	9.7	7.1	6.0	4.9	3.9	4.5	4.5			10.3	8.4	7.7	8.1	6.2
Hispanic/Latino	15.1	12.3	11.3	8.6	7.6	7.0	7.1			18.6	15.3	12.4	11.7	8.9
White, non-Hispanic	16.6	12.8	10.7	8.8	7.9	7.5	7.4			22.4	20.0	18.9	18.0	16.9
<b>Age</b>														
11	1.7	1.5	1.1	0.6	1.2	1.6	2.5			--	--	--	--	--
12	3.7	2.2	1.9	1.8	1.9	2.2	2.7			--	--	--	--	--
13	6.5	4.9	4.4	3.7	3.2	3.9	4.5			--	--	--	--	--
14	10.8	8.3	6.7	5.5	5.1	5.1	5.0			10.0	7.3	7.0	7.7	6.5
15	14.2	13.5	10.2	7.8	6.4	7.0	7.7			14.2	11.5	9.9	10.5	9.7
16	18.7	16.0	14.4	9.6	10.0	9.0	8.4			20.0	15.5	14.4	13.1	12.5
17	22.6	19.9	16.7	15.4	12.1	10.6	10.1			24.5	21.2	17.7	16.7	14.4
18	28.4	22.1	19.0	15.7	13.7	14.6	12.1			23.1	22.3	21.0	20.7	16.4
<b>Grade</b>														
6th	3.8	2.1	1.9	1.6	1.8	2.1	2.8			--	--	--	--	--
7th	6.9	4.6	3.8	3.2	2.8	3.2	3.6			--	--	--	--	--
8th	10.0	7.4	6.0	4.9	4.6	4.9	4.6			--	--	--	--	--
9th	14.0	11.9	9.3	6.9	5.6	5.8	7.1			12.7	9.5	8.6	8.5	7.6
10th	18.0	14.8	12.7	9.0	8.9	8.4	8.0			17.9	14.0	12.3	12.4	11.7
11th	21.0	17.8	14.9	12.7	10.4	9.9	9.8			21.0	18.9	15.8	15.0	13.9
12th	27.1	22.1	19.2	15.8	13.6	13.2	11.4			25.4	22.3	20.7	19.8	16.5
<b>Middle School</b>	6.9	4.7	3.9	3.2	3.1	3.4	3.7			--	--	--	--	--
<b>High School</b>	19.6	16.4	13.7	10.9	9.6	9.2	9.0			18.9	15.9	14.2	13.8	12.3
<b>Total</b>	<b>14.1</b>	<b>11.3</b>	<b>9.5</b>	<b>7.7</b>	<b>6.8</b>	<b>6.7</b>	<b>6.7</b>			--	--	--	--	--

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went.

**Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2010 to 2021**

	Cigarette Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	25.4	21.1	17.2	14.0	11.1	8.5	7.7	8.1	6.0	4.4	3.3	2.6	1.4	1.1
Male	26.5	21.5	18.0	14.1	11.4	9.6	8.1	9.5	7.1	5.3	3.5	2.4	2.1	1.2
<b>Race/Ethnic group</b>														
African American	17.6	13.6	10.3	8.9	6.5	5.8	4.7	3.8	2.9	2.0	1.5	1.2	1.2	0.6
Hispanic/Latino	25.8	20.3	17.2	13.4	11.4	7.7	7.6	7.1	5.2	3.6	2.6	2.0	1.3	1.2
White, non-Hispanic	30.7	25.3	21.2	16.7	13.6	11.3	9.8	12.5	9.1	6.9	4.7	3.3	2.3	1.3
<b>Age</b>														
11	4.8	4.4	3.7	2.4	3.2	2.9	4.2	0.8	0.9	0.4	0.3	0.8	0.5	1.1
12	10.3	7.2	6.5	5.1	4.6	4.8	5.0	2.5	1.1	1.1	0.8	0.7	0.8	0.9
13	16.5	12.9	10.6	9.1	7.4	6.8	6.6	4.1	2.7	2.2	1.7	1.4	1.3	0.8
14	23.1	18.3	15.2	12.4	9.5	8.1	8.3	6.7	4.4	3.6	2.2	1.6	1.4	1.1
15	28.7	24.4	19.3	14.9	11.4	9.3	7.8	9.4	7.2	5.1	3.5	2.5	1.7	1.7
16	32.7	28.0	22.9	18.5	15.1	11.4	9.9	11.6	8.7	6.5	4.3	3.4	2.4	1.1
17	36.9	33.9	28.9	22.4	17.5	12.6	10.6	13.7	12.8	9.0	6.2	4.0	2.9	0.9
18	41.3	36.5	30.2	23.6	19.2	15.9	8.0	17.9	14.6	11.1	7.4	5.4	3.6	1.6
<b>Grade</b>														
6th	10.4	6.7	5.7	4.3	4.4	4.5	4.7	2.4	1.3	1.0	0.8	0.7	0.8	0.9
7th	16.8	11.7	9.5	8.3	6.5	6.3	5.5	4.5	2.4	2.1	1.5	1.2	1.1	0.6
8th	22.6	17.1	14.2	11.3	9.2	7.4	8.4	6.6	4.3	2.9	2.0	1.6	1.4	1.1
9th	27.9	22.8	18.3	13.8	9.8	8.8	7.2	9.3	6.6	5.2	2.9	1.9	1.5	1.2
10th	31.8	26.2	22.0	17.2	14.4	10.1	8.2	10.8	7.8	6.2	4.6	3.5	1.9	1.6
11th	34.1	30.2	24.7	21.4	15.5	11.5	12.2	12.9	11.0	7.2	5.0	3.6	2.8	1.4
12th	39.7	36.5	30.8	22.4	19.5	15.4	9.3	16.3	13.9	10.8	7.1	5.0	3.3	1.4
<b>Middle School</b>	16.6	11.8	9.8	8.0	6.7	6.1	6.2	4.5	2.7	2.0	1.4	1.2	1.1	0.9
<b>High School</b>	33.0	28.5	23.6	18.5	14.7	11.3	9.2	12.1	9.6	7.1	4.8	3.5	2.4	1.4
<b>Total</b>	<b>25.9</b>	<b>21.3</b>	<b>17.6</b>	<b>14.1</b>	<b>11.3</b>	<b>9.0</b>	<b>7.9</b>	<b>8.8</b>	<b>6.6</b>	<b>4.9</b>	<b>3.4</b>	<b>2.5</b>	<b>1.8</b>	<b>1.2</b>

**Table 9. Percentage of surveyed Florida youth who vaped nicotine (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2021**

	Vaped Nicotine												
	Lifetime						Past 30 Days						
				2019 %	2020 %	2021 %					2019 %	2020 %	2021 %
<b>Sex</b>													
Female				25.2	24.9	26.1					12.9	12.3	13.9
Male				21.9	20.8	19.3					12.1	10.4	8.7
<b>Race/Ethnic group</b>													
African American				11.8	12.0	13.5					4.4	4.8	5.6
Hispanic/Latino				21.6	21.3	22.1					11.2	9.9	9.0
White, non-Hispanic				30.5	28.8	27.0					18.0	15.2	14.6
<b>Age</b>													
11				6.0	4.6	5.8					2.0	1.8	1.6
12				9.8	9.6	10.9					4.0	3.8	4.4
13				16.8	16.3	17.7					7.4	7.1	7.8
14				21.4	22.1	24.2					10.1	10.1	11.1
15				30.0	26.2	25.0					15.5	13.5	12.7
16				32.0	31.8	29.2					17.6	16.3	15.7
17				31.6	32.4	29.8					19.2	17.1	15.8
18				32.7	33.9	30.3					21.3	19.2	15.7
<b>Grade</b>													
6th				7.8	7.4	8.2					2.7	2.8	3.0
7th				13.9	13.0	15.0					6.1	5.8	5.9
8th				19.4	19.8	22.1					8.9	8.7	10.1
9th				26.3	24.1	22.7					13.2	12.1	11.4
10th				30.6	29.3	27.8					16.9	15.1	14.4
11th				33.5	32.0	30.7					18.3	16.8	16.2
12th				33.2	35.1	31.9					21.6	19.0	17.5
<b>Middle School</b>				13.7	13.5	15.1					5.9	5.8	6.4
<b>High School</b>				30.8	30.0	28.1					17.4	15.6	14.8
<b>Total</b>				<b>23.5</b>	<b>22.8</b>	<b>22.5</b>					<b>12.5</b>	<b>11.4</b>	<b>11.2</b>

Table 10. Percentage of surveyed Florida youth who vaped marijuana (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2021

	Vaped Marijuana												
	Lifetime						Past 30 Days						
				2019 %	2020 %	2021 %					2019 %	2020 %	2021 %
<b>Sex</b>													
Female				16.1	16.6	16.8					8.1	7.3	7.4
Male				14.6	14.5	13.1					8.4	7.3	6.1
<b>Race/Ethnic group</b>													
African American				9.5	10.1	9.0					4.2	4.2	3.7
Hispanic/Latino				15.3	15.0	15.2					8.1	6.8	6.4
White, non-Hispanic				18.1	18.2	17.2					10.5	8.5	8.0
<b>Age</b>													
11				1.5	1.8	2.6					1.1	0.8	0.9
12				3.9	4.1	3.4					1.7	1.8	1.6
13				8.1	8.4	7.6					3.4	3.6	2.8
14				12.0	12.0	12.3					5.9	5.8	5.5
15				19.5	17.3	15.6					10.2	8.5	6.8
16				22.4	24.2	22.8					13.3	11.3	10.1
17				25.5	25.8	24.6					14.2	12.2	12.3
18				25.1	28.7	28.2					14.6	13.8	12.3
<b>Grade</b>													
6th				2.3	3.1	2.9					1.4	1.2	1.4
7th				6.7	6.7	5.6					2.5	3.1	2.0
8th				10.7	10.6	10.9					5.1	4.8	4.2
9th				16.1	13.8	12.6					8.2	6.8	6.0
10th				20.6	21.5	20.4					11.6	10.3	9.8
11th				25.5	25.8	23.9					14.2	12.1	11.1
12th				26.1	28.4	29.0					15.4	13.6	12.9
<b>Middle School</b>				6.6	6.8	6.5					3.0	3.0	2.5
<b>High School</b>				22.0	22.2	21.3					12.3	10.6	9.9
<b>Total</b>				<b>15.3</b>	<b>15.5</b>	<b>14.9</b>					<b>8.3</b>	<b>7.3</b>	<b>6.7</b>

**Table 11. Percentage of surveyed Florida youth who used an electronic vaporizer, such as an e-cigarette, in lifetime and past 30 days—2016 and 2018**

	Electronic Vaporizer Use												
	Lifetime						Past 30 Days						
				2016 %	2018 %					2016 %	2018 %		
<b>Sex</b>													
Female				24.4	26.5					8.4	13.5		
Male				27.1	27.6					10.6	14.0		
<b>Race/Ethnic group</b>													
African American				17.9	17.0					5.5	5.9		
Hispanic/Latino				26.7	27.5					9.6	12.8		
White, non-Hispanic				29.2	32.1					11.8	18.3		
<b>Age</b>													
11				4.9	7.0					1.4	2.2		
12				8.8	10.3					2.9	3.5		
13				17.5	16.8					6.3	7.5		
14				24.4	26.6					8.8	13.5		
15				31.5	31.5					11.7	16.7		
16				35.1	38.6					13.2	19.8		
17				37.0	39.2					13.8	20.6		
18				36.9	38.9					14.9	22.2		
<b>Grade</b>													
6th				6.9	8.7					2.5	3.0		
7th				14.1	14.1					5.1	6.0		
8th				22.8	22.6					7.8	10.2		
9th				28.8	29.9					10.7	16.1		
10th				33.7	36.0					13.4	18.7		
11th				36.8	38.4					12.6	19.8		
12th				36.9	40.2					14.5	22.6		
<b>Middle School</b>				14.6	15.1					5.1	6.4		
<b>High School</b>				33.9	36.0					12.8	19.2		
<b>Total</b>				<b>25.8</b>	<b>27.1</b>					<b>9.6</b>	<b>13.7</b>		

Note: These items were replaced by questions distinguishing between nicotine vaping and marijuana vaping.

**Table 12. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2010 to 2021**

	Marijuana or Hashish Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	22.0	21.9	22.1	21.4	21.0	21.0	19.7	11.4	10.6	11.7	10.9	11.0	10.6	9.6
Male	25.5	24.5	23.0	21.3	19.4	19.2	16.7	14.6	14.1	13.1	11.5	10.7	10.7	9.1
<b>Race/Ethnic group</b>														
African American	19.5	19.3	20.9	19.4	17.9	18.6	15.0	10.4	10.1	10.7	9.1	9.4	9.7	7.8
Hispanic/Latino	22.2	21.5	22.0	20.5	19.4	18.1	16.4	11.7	11.3	11.4	10.7	9.6	9.2	8.2
White, non-Hispanic	27.9	26.0	24.3	22.6	21.8	21.7	20.2	15.5	13.8	13.7	12.3	12.1	11.6	9.8
<b>Age</b>														
11	1.2	1.1	1.4	0.9	1.8	1.9	1.5	0.7	0.4	0.5	0.3	0.8	1.0	0.6
12	4.5	3.4	4.2	2.9	3.5	4.7	4.3	2.2	1.4	2.0	1.1	1.4	2.0	1.5
13	9.5	9.0	8.7	8.0	9.4	9.8	8.9	4.8	4.3	3.8	3.8	4.4	4.3	3.2
14	18.5	17.2	17.1	15.8	15.7	15.9	13.5	10.3	8.7	9.8	7.9	8.1	8.0	6.1
15	26.7	28.0	27.1	24.1	22.4	22.0	19.0	15.1	15.3	15.5	13.3	12.3	11.9	10.0
16	35.0	35.0	35.0	32.5	31.4	31.3	27.6	19.1	19.0	18.1	16.9	17.2	16.6	15.5
17	39.4	41.9	41.1	39.2	35.8	34.6	32.1	21.0	22.8	23.5	20.9	19.2	19.3	16.5
18	41.0	43.8	41.4	41.7	38.1	38.4	35.5	22.9	23.3	23.6	22.3	22.8	21.9	19.0
<b>Grade</b>														
6th	3.8	2.8	3.0	2.1	3.0	3.4	2.9	2.0	1.1	1.1	0.8	1.3	1.4	1.1
7th	9.7	7.5	7.6	6.5	6.8	7.5	6.8	5.0	3.8	3.7	3.0	3.1	3.3	2.1
8th	17.9	14.8	14.6	12.5	13.1	13.7	11.6	9.9	7.7	7.8	5.9	6.7	6.6	4.9
9th	25.9	24.4	23.6	21.1	18.8	18.8	16.0	15.0	13.2	13.5	11.6	9.7	9.8	8.2
10th	33.7	31.7	31.9	29.0	27.9	27.0	25.0	18.5	17.1	17.6	15.8	15.9	14.6	13.3
11th	36.9	39.2	37.5	37.3	33.9	34.3	31.2	19.8	21.6	20.4	19.6	18.2	19.7	17.4
12th	40.7	44.6	42.8	40.7	38.9	37.7	34.6	21.8	23.2	24.1	21.5	21.6	20.2	18.6
<b>Middle School</b>	10.5	8.3	8.4	7.0	7.6	8.2	7.2	5.7	4.2	4.2	3.2	3.7	3.8	2.7
<b>High School</b>	33.8	34.4	33.4	31.7	29.7	29.2	26.4	18.6	18.5	18.6	17.0	16.3	15.9	14.2
<b>Total</b>	<b>23.8</b>	<b>23.2</b>	<b>22.6</b>	<b>21.3</b>	<b>20.2</b>	<b>20.1</b>	<b>18.1</b>	<b>13.0</b>	<b>12.4</b>	<b>12.4</b>	<b>11.2</b>	<b>10.9</b>	<b>10.7</b>	<b>9.2</b>

**Table 13. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2021**

	<b>Marijuana or Hashish</b>						
	<i>Number of Occasions in Past 30 Days</i>						
	<b>0</b>	<b>1-2</b>	<b>3-5</b>	<b>6-9</b>	<b>10-19</b>	<b>20-39</b>	<b>40+</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
<b>Sex</b>							
Female	90.4	4.2	1.4	0.9	1.4	1.0	0.8
Male	90.9	3.2	1.2	1.0	1.4	0.7	1.6
<b>Race/Ethnic group</b>							
African American	92.2	3.4	1.2	0.8	0.7	0.8	1.0
Hispanic/Latino	91.8	3.2	1.3	1.1	1.5	0.5	0.6
White, non-Hispanic	90.2	4.1	1.0	0.9	1.4	1.1	1.3
<b>Age</b>							
11	99.4	0.4	0.2	0.0	0.0	0.0	0.0
12	98.5	1.3	0.0	0.1	0.0	0.0	0.2
13	96.8	2.0	0.6	0.2	0.2	0.2	0.1
14	93.9	2.8	1.0	1.0	0.8	0.2	0.3
15	90.0	4.4	1.4	0.6	1.2	1.0	1.3
16	84.5	6.7	1.8	1.8	1.6	1.2	2.5
17	83.5	5.0	2.5	1.1	3.1	2.4	2.3
18	81.0	6.0	2.3	2.7	4.0	1.1	2.9
<b>Grade</b>							
6th	98.9	1.0	0.1	0.0	0.0	0.0	0.0
7th	97.9	1.2	0.4	0.2	0.2	0.0	0.2
8th	95.1	2.5	1.0	0.5	0.5	0.3	0.1
9th	91.8	4.1	0.8	0.8	1.1	0.5	1.0
10th	86.7	4.8	2.3	1.7	1.4	1.4	1.6
11th	82.6	7.1	1.7	1.9	2.6	1.6	2.5
12th	81.4	5.2	2.7	1.5	4.0	1.9	3.1
<b>Middle School</b>	97.3	1.5	0.5	0.2	0.2	0.1	0.1
<b>High School</b>	85.8	5.3	1.9	1.5	2.2	1.4	2.0
<b>Total</b>	<b>90.8</b>	<b>3.7</b>	<b>1.3</b>	<b>0.9</b>	<b>1.4</b>	<b>0.8</b>	<b>1.2</b>

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 14. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2012 to 2021

	Synthetic Marijuana Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %		2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	
<b>Sex</b>														
Female	10.9	7.7	4.8	3.7	2.9	2.7		3.3	1.2	0.9	1.1	0.8	0.5	
Male	15.2	10.0	5.0	3.3	2.9	2.0		5.3	1.6	1.2	1.1	1.0	0.7	
<b>Race/Ethnic group</b>														
African American	5.7	4.7	3.1	2.0	1.5	0.4		2.2	0.9	1.2	0.8	0.6	0.2	
Hispanic/Latino	9.1	7.7	4.8	3.7	2.7	2.1		3.8	2.0	1.2	1.2	0.7	0.4	
White, non-Hispanic	17.5	11.0	5.6	4.1	3.5	3.0		5.3	1.4	0.8	1.1	1.0	0.8	
<b>Age</b>														
11	--	--	--	--	--	--		--	--	--	--	--	--	
12	--	--	--	--	--	--		--	--	--	--	--	--	
13	--	--	--	--	--	--		--	--	--	--	--	--	
14	7.5	5.6	2.8	2.7	2.1	1.5		2.7	1.0	0.5	0.9	0.3	0.5	
15	9.9	6.7	3.6	3.4	2.3	2.5		4.0	1.5	1.0	1.2	0.7	0.7	
16	13.5	8.8	4.8	3.6	3.0	2.5		4.3	1.5	1.1	1.3	1.1	0.5	
17	15.6	11.2	6.0	3.5	3.1	2.8		5.1	1.5	1.2	0.9	1.0	0.8	
18	16.9	11.2	6.2	4.2	4.0	2.1		4.5	1.2	0.7	1.1	1.0	0.0	
<b>Grade</b>														
6th	--	--	--	--	--	--		--	--	--	--	--	--	
7th	--	--	--	--	--	--		--	--	--	--	--	--	
8th	--	--	--	--	--	--		--	--	--	--	--	--	
9th	9.7	6.6	3.7	3.2	2.2	1.8		4.1	1.3	1.1	1.2	0.6	0.4	
10th	11.8	8.4	4.7	3.5	2.7	3.1		3.9	1.6	1.1	1.2	0.9	1.0	
11th	14.6	8.9	5.5	3.3	3.2	2.7		4.9	1.4	1.2	0.9	1.1	1.0	
12th	16.7	12.2	5.9	4.2	3.5	1.9		4.4	1.3	0.7	1.1	0.9	0.0	
<b>Middle School</b>	--	--	--	--	--	--		--	--	--	--	--	--	
<b>High School</b>	13.0	8.8	4.9	3.5	2.9	2.4		4.3	1.4	1.0	1.1	0.9	0.6	
<b>Total</b>	--	--	--	--	--	--		--	--	--	--	--	--	

**Table 15. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2010 to 2021**

	Inhalant Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	11.0	8.9	7.2	6.1	6.7	7.7	8.0	3.6	3.0	2.3	1.9	2.1	2.4	1.9
Male	8.9	6.8	5.8	4.7	4.9	5.2	5.0	2.8	2.0	1.9	1.4	1.6	1.4	1.2
<b>Race/Ethnic group</b>														
African American	7.6	6.0	5.8	5.3	5.4	5.1	5.8	3.1	2.4	2.3	1.8	2.3	1.9	1.5
Hispanic/Latino	11.0	8.0	6.9	5.5	5.3	6.1	6.0	3.8	2.6	2.3	1.7	1.6	1.7	1.6
White, non-Hispanic	9.8	7.9	6.2	5.1	5.9	6.9	6.8	2.6	2.1	1.7	1.4	1.7	1.8	1.3
<b>Age</b>														
11	10.3	7.9	6.3	4.8	6.0	6.5	9.0	4.8	2.9	2.9	1.4	2.5	2.5	2.9
12	11.4	9.0	7.8	6.0	7.3	8.3	8.4	4.6	3.9	2.7	2.2	2.8	2.7	2.1
13	13.0	10.8	9.5	6.7	8.5	8.9	8.3	5.2	4.0	3.3	2.4	2.9	2.9	2.1
14	13.2	9.5	8.5	7.1	7.7	7.6	7.9	4.3	3.4	2.5	2.1	2.2	2.4	1.6
15	9.9	7.8	5.8	5.8	4.9	6.0	6.0	2.8	1.8	2.0	1.7	1.3	1.6	1.2
16	7.9	6.1	4.8	4.5	4.3	4.8	5.1	2.1	1.5	1.4	1.1	1.2	1.1	0.9
17	6.8	5.5	4.3	3.8	3.6	4.2	5.1	1.5	1.3	1.0	0.7	0.9	0.9	1.1
18	6.7	5.4	3.5	3.3	3.4	4.6	2.8	1.2	1.1	0.5	1.0	1.0	1.3	0.9
<b>Grade</b>														
6th	10.8	8.3	7.1	5.4	6.7	7.3	9.0	5.0	3.6	2.8	1.8	2.9	2.6	2.4
7th	13.7	10.6	9.3	6.3	8.2	9.2	7.4	5.1	4.1	3.3	2.5	3.1	3.0	2.4
8th	13.1	10.7	9.6	7.6	8.3	8.4	8.1	4.3	3.7	3.1	2.5	2.5	2.8	1.6
9th	10.1	8.1	5.9	6.0	5.5	6.1	6.6	3.0	2.3	1.7	1.8	1.3	1.5	1.3
10th	8.4	6.1	5.3	5.0	4.4	5.3	6.2	2.4	1.5	1.7	1.2	1.1	1.4	1.0
11th	6.9	5.6	4.4	4.3	3.5	4.7	5.8	1.3	1.2	0.9	1.0	1.0	1.0	1.6
12th	6.1	5.4	3.7	3.0	3.7	4.3	2.8	1.2	1.2	0.7	0.7	0.9	1.1	0.4
<b>Middle School</b>	12.5	9.9	8.6	6.4	7.8	8.3	8.1	4.8	3.8	3.1	2.2	2.8	2.8	2.1
<b>High School</b>	8.0	6.4	4.9	4.6	4.3	5.1	5.4	2.0	1.6	1.3	1.2	1.1	1.2	1.1
<b>Total</b>	<b>10.0</b>	<b>7.9</b>	<b>6.5</b>	<b>5.4</b>	<b>5.8</b>	<b>6.5</b>	<b>6.6</b>	<b>3.2</b>	<b>2.5</b>	<b>2.1</b>	<b>1.6</b>	<b>1.8</b>	<b>1.9</b>	<b>1.5</b>

**Table 16. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2010 to 2021**

	Club Drug Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	3.5	3.2	2.8	1.9	1.2	1.3	1.1	1.1	0.9	0.7	0.5	0.3	0.4	0.3
Male	3.9	3.5	3.2	2.2	1.4	1.8	0.8	1.4	1.2	0.8	0.6	0.5	0.6	0.3
<b>Race/Ethnic group</b>														
African American	1.8	1.3	1.4	1.2	0.9	0.7	0.3	0.8	0.4	0.4	0.4	0.4	0.3	0.1
Hispanic/Latino	4.0	3.6	3.1	2.1	1.2	1.4	0.6	1.4	1.2	0.8	0.5	0.5	0.4	0.2
White, non-Hispanic	4.4	3.8	3.5	2.3	1.5	1.8	1.4	1.3	1.1	0.8	0.6	0.3	0.5	0.2
<b>Age</b>														
11	0.3	0.3	0.1	0.2	0.2	0.3	0.3	0.1	0.1	0.1	0.0	0.1	0.2	0.0
12	0.7	0.5	0.5	0.4	0.5	0.4	0.0	0.3	0.3	0.2	0.2	0.1	0.2	0.3
13	1.7	1.0	1.0	0.9	0.6	1.0	0.4	0.6	0.3	0.4	0.3	0.3	0.5	0.3
14	2.8	2.3	2.4	1.3	1.0	1.0	0.8	0.9	0.7	0.7	0.4	0.3	0.3	0.2
15	4.1	3.3	3.3	2.3	1.3	1.6	1.3	1.5	1.1	1.0	0.6	0.4	0.7	0.4
16	5.8	5.1	4.1	2.9	1.6	2.0	1.6	2.0	1.6	1.1	0.8	0.5	0.7	0.2
17	5.3	6.7	5.4	3.6	2.0	2.6	2.2	1.7	1.9	0.9	0.8	0.7	0.6	0.6
18	7.0	7.6	6.9	4.5	3.3	3.2	0.5	2.0	2.3	1.3	0.9	0.8	0.9	0.0
<b>Grade</b>														
6th	0.8	0.6	0.4	0.4	0.5	0.4	0.1	0.3	0.2	0.2	0.2	0.1	0.2	0.0
7th	1.8	0.9	0.9	0.7	0.5	0.7	0.1	0.7	0.4	0.3	0.4	0.2	0.4	0.0
8th	2.6	1.9	2.0	1.1	1.1	1.1	0.6	0.9	0.7	0.5	0.3	0.3	0.5	0.3
9th	4.2	3.1	2.7	2.0	1.0	1.2	1.0	1.5	0.9	0.8	0.5	0.4	0.5	0.3
10th	5.1	4.2	4.0	2.7	1.5	1.7	2.0	1.7	1.4	1.1	0.7	0.3	0.7	0.4
11th	5.7	5.7	4.9	3.4	1.8	2.3	2.4	1.9	1.7	1.1	1.1	0.6	0.6	0.7
12th	6.2	7.8	6.7	4.2	2.8	3.3	0.6	1.8	2.2	1.2	0.8	0.8	0.8	0.2
<b>Middle School</b>	1.7	1.1	1.1	0.7	0.7	0.7	0.3	0.6	0.4	0.3	0.3	0.2	0.3	0.1
<b>High School</b>	5.2	5.1	4.5	3.0	1.8	2.1	1.5	1.7	1.5	1.0	0.8	0.5	0.6	0.4
<b>Total</b>	<b>3.7</b>	<b>3.4</b>	<b>3.0</b>	<b>2.1</b>	<b>1.3</b>	<b>1.5</b>	<b>1.0</b>	<b>1.3</b>	<b>1.1</b>	<b>0.7</b>	<b>0.6</b>	<b>0.4</b>	<b>0.5</b>	<b>0.3</b>

Note: The survey question asks about the use of "club drugs" such as Ecstasy, Rohypnol, GHB, or ketamine.

**Table 17. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2010 to 2021**

	LSD, PCP or Hallucinogenic Mushroom Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	3.2	2.8	2.8	2.7	2.3	2.5	3.0	0.9	0.7	0.8	0.7	0.7	0.7	0.6
Male	4.7	4.3	4.3	3.7	3.1	3.4	3.2	1.3	1.2	1.2	1.1	0.9	1.2	0.9
<b>Race/Ethnic group</b>														
African American	1.3	1.0	1.1	1.1	1.0	1.0	0.8	0.6	0.4	0.5	0.4	0.5	0.5	0.4
Hispanic/Latino	3.4	2.9	3.1	2.8	2.3	2.1	1.9	1.1	1.0	0.9	0.8	0.8	0.7	0.6
White, non-Hispanic	5.3	4.5	4.7	4.2	3.6	4.1	4.0	1.4	1.1	1.3	1.1	1.0	1.2	1.1
<b>Age</b>														
11	0.4	0.5	0.3	0.2	0.3	0.3	0.6	0.0	0.2	0.1	0.0	0.2	0.2	0.2
12	1.0	0.7	0.5	0.5	0.8	0.8	0.5	0.4	0.3	0.3	0.2	0.3	0.2	0.0
13	1.8	1.1	1.4	1.1	0.9	1.3	1.3	0.8	0.4	0.5	0.2	0.3	0.5	0.4
14	3.1	2.6	2.6	2.0	1.7	1.6	1.5	1.0	0.8	1.0	0.5	0.5	0.5	0.6
15	4.1	3.9	4.3	3.7	2.7	3.1	3.0	1.3	1.1	1.2	1.1	0.9	1.0	0.8
16	5.5	4.8	5.1	5.2	4.1	4.5	4.7	1.4	1.3	1.5	1.7	1.2	1.8	1.0
17	6.1	6.7	6.6	5.8	4.8	5.3	5.5	1.3	1.4	1.5	1.4	1.3	1.4	1.7
18	6.8	7.4	6.9	6.8	6.5	6.9	7.7	1.9	1.6	1.6	1.7	1.6	2.0	1.6
<b>Grade</b>														
6th	0.8	0.5	0.4	0.4	0.7	0.6	0.8	0.4	0.2	0.2	0.1	0.3	0.2	0.1
7th	1.9	1.1	1.2	0.8	0.7	1.0	0.9	0.8	0.4	0.4	0.2	0.3	0.4	0.1
8th	3.0	2.5	2.4	1.8	1.6	1.7	1.1	0.9	0.9	1.1	0.5	0.5	0.6	0.5
9th	4.3	3.7	3.5	2.8	2.0	2.4	2.0	1.4	1.1	1.1	0.9	0.7	0.7	1.0
10th	5.1	4.1	5.0	4.5	3.7	3.4	4.9	1.5	1.1	1.6	1.4	1.1	1.3	1.0
11th	5.9	5.6	5.8	5.8	4.3	5.1	5.6	1.2	1.4	1.4	1.6	1.1	1.4	1.6
12th	6.8	7.6	7.2	6.4	6.1	6.7	6.4	1.8	1.6	1.5	1.6	1.6	2.0	1.2
<b>Middle School</b>	1.9	1.4	1.3	1.0	1.0	1.1	0.9	0.7	0.5	0.6	0.3	0.4	0.4	0.2
<b>High School</b>	5.4	5.1	5.3	4.8	4.0	4.3	4.7	1.4	1.3	1.4	1.4	1.1	1.3	1.2
<b>Total</b>	<b>3.9</b>	<b>3.5</b>	<b>3.6</b>	<b>3.2</b>	<b>2.7</b>	<b>2.9</b>	<b>3.0</b>	<b>1.1</b>	<b>1.0</b>	<b>1.0</b>	<b>0.9</b>	<b>0.8</b>	<b>0.9</b>	<b>0.8</b>

**Table 18. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2010 to 2021**

	Cocaine or Crack Cocaine Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	2.7	1.9	1.6	1.6	1.3	1.3	1.0	0.8	0.5	0.5	0.6	0.4	0.4	0.3
Male	3.1	2.6	2.1	1.9	1.6	1.4	1.0	0.9	0.8	0.7	0.6	0.5	0.5	0.3
<b>Race/Ethnic group</b>														
African American	1.2	0.8	0.6	0.9	0.7	0.5	0.3	0.7	0.3	0.3	0.4	0.4	0.3	0.1
Hispanic/Latino	3.7	2.6	2.3	1.8	1.7	1.5	1.1	1.2	0.6	0.7	0.7	0.4	0.4	0.5
White, non-Hispanic	3.2	2.5	2.1	2.1	1.7	1.5	1.1	0.7	0.7	0.6	0.7	0.4	0.4	0.2
<b>Age</b>														
11	0.7	0.5	0.2	0.2	0.6	0.5	0.4	0.3	0.1	0.0	0.1	0.2	0.0	0.2
12	1.0	0.8	0.7	0.5	0.7	0.8	0.6	0.4	0.3	0.3	0.3	0.3	0.3	0.0
13	1.7	1.1	1.2	1.0	0.9	1.0	1.0	0.7	0.2	0.5	0.3	0.3	0.4	0.4
14	2.3	1.8	1.2	0.9	0.9	0.8	0.6	0.8	0.6	0.6	0.3	0.3	0.3	0.3
15	2.4	2.3	1.5	1.8	1.1	1.1	1.1	0.7	0.7	0.5	0.6	0.4	0.5	0.3
16	4.0	3.1	2.3	2.4	1.6	1.7	0.7	1.1	0.9	0.8	0.9	0.6	0.6	0.1
17	4.5	3.5	3.7	2.8	2.3	2.0	1.5	1.1	0.9	0.8	0.9	0.4	0.6	0.5
18	5.4	4.7	3.9	4.4	3.8	3.0	1.5	1.1	1.4	1.1	1.4	0.9	0.7	0.3
<b>Grade</b>														
6th	1.1	0.8	0.5	0.5	0.7	0.7	0.5	0.5	0.2	0.1	0.2	0.3	0.2	0.2
7th	1.8	1.0	1.1	0.7	0.7	0.9	0.3	0.8	0.3	0.5	0.3	0.3	0.4	0.0
8th	2.4	1.7	1.2	1.0	1.1	0.9	1.1	0.8	0.5	0.6	0.3	0.4	0.4	0.6
9th	2.6	2.4	1.5	1.5	0.9	0.9	0.9	0.8	0.7	0.5	0.5	0.3	0.3	0.2
10th	3.3	2.5	1.9	2.0	1.4	1.4	1.0	0.9	0.7	0.5	0.8	0.4	0.7	0.3
11th	4.5	3.4	3.0	2.8	1.7	1.9	1.4	1.1	1.0	0.8	0.9	0.5	0.3	0.5
12th	4.9	4.4	4.1	3.8	3.6	2.7	1.7	1.0	1.3	1.1	1.2	0.7	0.8	0.2
<b>Middle School</b>	1.8	1.1	0.9	0.8	0.8	0.9	0.6	0.7	0.4	0.4	0.3	0.3	0.3	0.3
<b>High School</b>	3.8	3.1	2.5	2.5	1.9	1.7	1.3	0.9	0.9	0.7	0.8	0.5	0.5	0.3
<b>Total</b>	<b>2.9</b>	<b>2.3</b>	<b>1.9</b>	<b>1.8</b>	<b>1.4</b>	<b>1.3</b>	<b>1.0</b>	<b>0.8</b>	<b>0.7</b>	<b>0.6</b>	<b>0.6</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>

**Table 19. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2010 to 2021**

	Methamphetamine Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	1.2	0.9	0.8	0.6	0.6	0.6	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.2
Male	1.3	1.1	1.2	0.8	0.8	0.9	0.4	0.6	0.5	0.6	0.4	0.5	0.5	0.3
<b>Race/Ethnic group</b>														
African American	1.0	0.8	0.9	0.6	1.0	0.6	0.0	0.6	0.5	0.5	0.4	0.7	0.5	0.0
Hispanic/Latino	1.5	1.1	1.2	0.7	0.8	0.9	0.5	0.7	0.5	0.4	0.4	0.4	0.4	0.3
White, non-Hispanic	1.2	1.0	0.9	0.7	0.5	0.7	0.5	0.4	0.4	0.4	0.3	0.2	0.3	0.3
<b>Age</b>														
11	0.6	0.6	0.2	0.3	0.5	0.6	0.8	0.2	0.4	0.1	0.1	0.2	0.3	0.1
12	0.9	0.9	0.8	0.4	0.6	0.5	0.2	0.5	0.5	0.4	0.2	0.4	0.3	0.3
13	1.3	0.9	1.0	0.6	0.7	0.8	0.8	0.7	0.3	0.5	0.3	0.4	0.5	0.2
14	1.4	1.2	0.9	0.6	0.7	0.5	0.4	0.4	0.6	0.5	0.3	0.4	0.3	0.1
15	1.4	0.9	1.2	0.8	0.6	0.9	0.3	0.5	0.4	0.6	0.4	0.3	0.6	0.3
16	1.3	1.4	1.0	0.9	0.7	0.8	0.5	0.4	0.7	0.5	0.5	0.4	0.4	0.2
17	1.1	0.9	1.3	0.6	0.6	1.1	0.4	0.5	0.3	0.5	0.4	0.3	0.5	0.4
18	1.5	1.1	1.0	1.3	1.4	0.8	0.4	0.8	0.5	0.4	0.5	0.8	0.4	0.4
<b>Grade</b>														
6th	1.0	1.0	0.7	0.4	0.7	0.7	0.5	0.5	0.5	0.3	0.2	0.4	0.4	0.1
7th	1.4	0.9	1.0	0.5	0.6	0.8	0.3	0.7	0.4	0.5	0.3	0.4	0.4	0.1
8th	1.5	1.1	1.0	0.7	0.7	0.6	0.7	0.5	0.5	0.5	0.4	0.4	0.3	0.3
9th	1.4	1.0	1.1	0.7	0.7	0.6	0.4	0.5	0.4	0.5	0.3	0.3	0.5	0.2
10th	1.3	1.0	0.9	1.0	0.6	0.8	0.5	0.4	0.5	0.4	0.6	0.3	0.4	0.2
11th	0.9	1.2	1.0	0.9	0.5	1.0	0.4	0.4	0.7	0.5	0.5	0.3	0.5	0.5
12th	1.4	1.1	1.3	0.8	1.1	0.9	0.5	0.7	0.3	0.5	0.3	0.6	0.4	0.5
<b>Middle School</b>	1.3	1.0	0.9	0.5	0.7	0.7	0.5	0.6	0.5	0.4	0.3	0.4	0.4	0.1
<b>High School</b>	1.3	1.1	1.1	0.8	0.7	0.8	0.4	0.5	0.5	0.5	0.4	0.4	0.4	0.3
<b>Total</b>	<b>1.3</b>	<b>1.0</b>	<b>1.0</b>	<b>0.7</b>	<b>0.7</b>	<b>0.8</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>

**Table 20. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2010 to 2021**

	Depressant Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	6.5	5.2	5.1	5.3	4.4	4.2	3.3	2.3	1.6	1.8	2.0	1.4	1.0	0.8
Male	5.2	4.1	3.6	4.1	4.3	3.2	2.2	1.7	1.5	1.2	1.5	1.2	1.0	0.6
<b>Race/Ethnic group</b>														
African American	1.6	1.1	1.7	2.0	2.4	1.7	1.3	0.8	0.4	0.8	1.0	1.0	0.6	0.5
Hispanic/Latino	5.0	4.3	4.2	4.7	3.7	3.2	1.7	1.6	1.5	1.4	1.7	1.0	0.8	0.5
White, non-Hispanic	8.2	6.2	5.4	5.8	5.4	4.7	3.9	2.8	2.1	1.8	2.0	1.6	1.2	0.8
<b>Age</b>														
11	0.8	0.6	0.4	0.6	0.9	1.0	1.2	0.1	0.2	0.1	0.1	0.2	0.3	0.2
12	1.6	1.0	1.0	1.4	1.4	1.9	1.6	0.6	0.6	0.4	0.4	0.7	0.7	0.9
13	2.6	1.8	2.4	2.6	2.5	2.5	2.0	1.1	0.6	1.0	1.0	1.0	0.8	0.8
14	4.6	3.2	3.5	3.8	4.1	3.2	2.4	1.8	1.2	1.3	1.6	1.4	1.0	0.7
15	5.9	4.8	5.1	5.5	4.9	3.8	2.5	2.2	1.9	2.2	2.3	1.7	1.3	1.1
16	8.6	7.0	6.6	6.6	6.5	5.3	3.8	3.1	2.4	1.7	2.3	1.7	1.4	0.5
17	9.2	9.0	7.2	7.8	6.5	5.7	4.5	2.7	2.6	2.7	2.8	1.3	1.1	0.4
18	10.4	8.6	7.3	8.0	7.4	5.8	3.2	3.0	2.4	1.9	2.9	2.1	1.5	0.8
<b>Grade</b>														
6th	1.1	0.9	0.8	1.0	1.1	1.4	1.4	0.5	0.5	0.3	0.3	0.5	0.6	0.3
7th	2.9	1.4	1.8	1.9	2.1	2.1	1.8	1.1	0.6	0.8	0.9	0.8	0.7	0.8
8th	4.3	3.0	3.0	3.6	3.9	3.0	2.3	1.6	1.2	1.2	1.3	1.5	1.1	0.8
9th	6.0	4.5	4.3	4.6	4.3	3.6	2.3	2.4	1.5	1.8	1.8	1.5	0.9	1.0
10th	7.9	5.8	6.2	6.4	5.8	4.8	3.4	2.8	2.2	2.1	2.4	1.7	1.6	0.8
11th	9.7	7.9	6.9	7.7	6.4	5.4	4.1	3.0	2.4	2.1	2.8	1.4	1.2	0.9
12th	9.5	9.6	7.8	7.7	7.3	6.1	4.3	2.8	2.5	2.5	2.7	1.8	1.3	0.3
<b>Middle School</b>	2.8	1.8	1.9	2.2	2.3	2.2	1.8	1.1	0.8	0.8	0.8	0.9	0.8	0.6
<b>High School</b>	8.2	6.8	6.2	6.5	5.9	4.9	3.5	2.7	2.1	2.1	2.4	1.6	1.2	0.7
<b>Total</b>	<b>5.8</b>	<b>4.6</b>	<b>4.3</b>	<b>4.7</b>	<b>4.4</b>	<b>3.7</b>	<b>2.8</b>	<b>2.0</b>	<b>1.6</b>	<b>1.5</b>	<b>1.8</b>	<b>1.3</b>	<b>1.0</b>	<b>0.7</b>

Note: In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. As a result of these changes, please exercise caution when comparing to results from earlier years.

**Table 21. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2010 to 2021**

	Heroin Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	1.0	0.5	0.4	0.4	0.3	0.4	0.2	0.3	0.2	0.2	0.1	0.1	0.2	0.1
Male	1.1	0.8	0.8	0.4	0.4	0.6	0.3	0.4	0.4	0.3	0.2	0.2	0.3	0.4
<b>Race/Ethnic group</b>														
African American	0.7	0.5	0.6	0.4	0.4	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.2
Hispanic/Latino	1.1	0.5	0.6	0.3	0.4	0.6	0.3	0.4	0.3	0.3	0.2	0.1	0.2	0.2
White, non-Hispanic	1.1	0.8	0.6	0.4	0.3	0.5	0.2	0.3	0.3	0.2	0.1	0.1	0.2	0.2
<b>Age</b>														
11	0.5	0.3	0.1	0.2	0.2	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.2	0.0
12	0.6	0.3	0.5	0.3	0.4	0.5	0.1	0.2	0.1	0.3	0.1	0.1	0.1	0.3
13	1.0	0.6	0.7	0.5	0.4	0.7	0.5	0.4	0.2	0.3	0.2	0.1	0.3	0.4
14	1.0	0.8	0.6	0.3	0.4	0.3	0.4	0.3	0.3	0.3	0.1	0.1	0.1	0.2
15	0.9	0.6	0.5	0.5	0.4	0.5	0.3	0.3	0.3	0.2	0.2	0.1	0.3	0.2
16	1.4	1.0	0.7	0.5	0.2	0.6	0.0	0.5	0.4	0.4	0.3	0.2	0.2	0.1
17	1.0	0.8	0.9	0.3	0.3	0.7	0.0	0.3	0.4	0.4	0.1	0.1	0.4	0.2
18	1.4	0.8	0.5	0.5	0.5	0.7	1.0	0.4	0.4	0.1	0.2	0.1	0.4	0.4
<b>Grade</b>														
6th	0.6	0.3	0.4	0.4	0.4	0.4	0.0	0.2	0.1	0.2	0.1	0.1	0.2	0.1
7th	1.0	0.5	0.5	0.4	0.3	0.6	0.6	0.5	0.2	0.2	0.1	0.1	0.2	0.3
8th	1.1	0.8	0.9	0.4	0.5	0.5	0.4	0.3	0.3	0.4	0.1	0.2	0.3	0.2
9th	1.0	0.7	0.6	0.4	0.3	0.6	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.1
10th	1.1	0.9	0.5	0.6	0.4	0.6	0.1	0.4	0.4	0.2	0.2	0.2	0.2	0.2
11th	1.2	0.9	0.7	0.3	0.2	0.5	0.0	0.4	0.5	0.3	0.2	0.1	0.3	0.3
12th	1.2	0.8	0.8	0.3	0.3	0.6	0.6	0.4	0.3	0.3	0.1	0.0	0.3	0.5
<b>Middle School</b>	0.9	0.5	0.6	0.4	0.4	0.5	0.3	0.3	0.2	0.3	0.1	0.1	0.2	0.2
<b>High School</b>	1.1	0.8	0.7	0.4	0.3	0.6	0.2	0.4	0.4	0.3	0.2	0.1	0.3	0.3
<b>Total</b>	<b>1.0</b>	<b>0.7</b>	<b>0.6</b>	<b>0.4</b>	<b>0.4</b>	<b>0.5</b>	<b>0.3</b>	<b>0.4</b>	<b>0.3</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>

**Table 22. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2010 to 2021**

	Prescription Pain Reliever Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	8.0	7.0	5.9	5.3	4.4	3.7	3.6	3.1	2.6	2.4	2.2	1.5	1.3	1.3
Male	6.9	5.9	5.1	4.2	3.6	2.5	2.3	2.7	2.0	1.8	1.5	0.9	0.8	0.4
<b>Race/Ethnic group</b>														
African American	3.4	3.7	3.4	3.7	3.1	2.1	1.7	2.0	1.8	1.7	1.8	1.2	1.0	1.0
Hispanic/Latino	5.8	5.8	5.2	4.6	3.8	3.0	2.9	2.3	2.5	2.1	2.0	1.4	1.1	0.8
White, non-Hispanic	10.0	7.9	6.3	5.2	4.5	3.3	3.4	3.6	2.3	2.1	1.7	1.2	1.1	0.9
<b>Age</b>														
11	2.5	2.2	1.6	1.7	1.8	1.8	3.6	0.8	1.3	0.5	0.8	0.6	0.7	1.7
12	2.7	2.7	2.0	2.8	2.0	2.9	2.4	1.4	1.2	1.0	1.4	0.8	1.2	0.9
13	4.1	4.0	3.6	3.6	2.8	3.1	2.6	2.0	1.7	1.7	1.6	1.0	1.4	1.1
14	6.2	5.0	4.9	4.6	3.9	3.4	3.8	3.0	2.0	2.4	2.0	1.4	1.2	1.1
15	7.7	6.8	6.6	5.2	4.7	2.7	3.0	3.3	2.8	2.6	2.3	1.7	1.2	1.1
16	10.7	8.8	7.2	6.1	4.9	3.4	2.8	3.8	2.9	2.7	2.1	1.4	0.9	0.5
17	11.0	10.7	8.4	5.9	5.2	3.2	3.1	3.5	2.9	2.6	1.9	1.2	1.0	0.2
18	11.1	10.0	7.4	7.0	6.4	3.9	1.9	3.5	2.8	2.1	1.9	1.1	0.9	0.5
<b>Grade</b>														
6th	2.8	2.5	1.8	2.4	1.8	2.2	2.9	1.5	1.4	0.8	1.1	0.7	0.9	1.3
7th	4.0	3.7	3.4	3.2	2.6	3.2	2.4	2.1	1.6	1.6	1.7	1.0	1.4	1.2
8th	6.2	4.7	3.6	4.2	3.6	3.3	3.2	2.9	2.0	1.8	1.9	1.3	1.3	0.9
9th	7.4	6.4	6.2	5.1	4.2	3.0	2.8	3.1	2.5	2.7	2.3	1.6	1.3	0.9
10th	10.4	7.7	7.5	5.6	5.0	3.0	3.5	3.9	2.8	3.1	2.0	1.7	0.9	1.0
11th	10.8	9.9	7.4	6.3	5.1	3.5	2.9	3.3	2.9	2.1	2.0	1.2	1.0	0.2
12th	10.6	10.5	8.3	6.4	5.8	3.4	2.9	3.4	2.9	2.4	1.8	1.0	0.8	0.3
<b>Middle School</b>	4.4	3.6	3.0	3.3	2.6	2.9	2.8	2.2	1.7	1.4	1.6	1.0	1.2	1.1
<b>High School</b>	9.7	8.5	7.3	5.8	5.0	3.2	3.0	3.4	2.8	2.6	2.0	1.4	1.0	0.6
<b>Total</b>	<b>7.4</b>	<b>6.4</b>	<b>5.5</b>	<b>4.8</b>	<b>4.0</b>	<b>3.1</b>	<b>2.9</b>	<b>2.9</b>	<b>2.3</b>	<b>2.1</b>	<b>1.8</b>	<b>1.2</b>	<b>1.1</b>	<b>0.8</b>

**Table 23. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2010 to 2021**

	Over-the-Counter Drug Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	6.9	5.9	5.1	4.7	4.3	3.9	4.1	2.8	2.5	2.3	2.0	1.7	1.4	1.3
Male	6.2	5.2	4.8	4.2	4.1	3.5	2.2	2.3	2.0	1.8	1.9	1.5	1.2	0.7
<b>Race/Ethnic group</b>														
African American	5.5	4.6	4.8	3.9	4.0	2.9	2.1	2.7	2.5	2.4	1.7	2.0	1.5	1.0
Hispanic/Latino	6.3	5.7	4.4	4.2	3.7	3.3	2.8	2.5	2.4	2.0	1.9	1.5	1.0	0.8
White, non-Hispanic	7.2	5.7	5.0	4.6	4.3	3.9	3.9	2.4	2.0	1.8	2.0	1.5	1.2	0.9
<b>Age</b>														
11	1.9	2.7	1.9	1.9	1.6	1.8	2.0	0.4	1.0	1.2	1.0	0.6	0.9	1.4
12	3.4	2.5	2.6	2.7	2.4	2.2	1.6	1.7	1.2	1.1	1.3	1.1	1.0	0.5
13	4.5	4.1	3.4	3.3	3.5	3.3	2.9	2.1	1.6	1.6	1.8	1.5	1.7	1.1
14	6.4	5.0	4.9	4.6	5.0	4.0	4.2	3.1	2.4	2.4	2.4	2.2	1.6	1.5
15	8.1	6.0	6.1	5.1	4.6	4.8	4.6	3.4	2.7	3.0	2.3	1.6	1.5	1.4
16	8.1	7.3	5.9	5.6	5.2	4.1	3.5	2.7	3.0	2.1	2.1	2.1	1.2	0.7
17	7.8	7.6	6.4	5.6	4.8	4.1	3.6	2.4	2.3	2.1	2.0	1.8	1.0	1.0
18	8.8	8.4	7.2	5.5	5.4	4.8	1.6	2.8	2.7	2.6	2.1	1.2	1.1	0.0
<b>Grade</b>														
6th	3.1	2.8	2.5	2.3	2.0	2.3	2.2	1.3	1.1	1.2	1.2	1.0	1.0	0.8
7th	4.8	3.9	3.2	3.0	3.2	2.6	1.7	2.2	1.8	1.5	1.6	1.4	1.3	0.6
8th	6.3	4.6	4.5	4.3	4.5	4.0	4.0	2.9	2.2	2.2	2.5	1.8	1.8	1.3
9th	7.4	5.9	5.3	4.8	4.4	4.1	3.8	3.5	2.8	2.5	2.2	1.9	1.7	1.2
10th	8.5	6.6	6.8	5.7	5.6	4.4	4.7	3.0	2.5	2.9	2.5	2.3	1.3	1.6
11th	7.9	7.8	6.2	5.6	4.8	4.3	3.7	2.5	3.0	2.1	1.9	1.6	1.0	1.2
12th	8.2	7.5	6.6	5.1	4.9	4.4	2.2	2.4	2.2	2.1	1.7	1.3	1.0	0.2
<b>Middle School</b>	4.8	3.7	3.4	3.2	3.2	3.0	2.6	2.2	1.7	1.6	1.8	1.4	1.4	0.9
<b>High School</b>	8.0	6.9	6.1	5.3	4.9	4.3	3.6	2.9	2.6	2.4	2.1	1.8	1.3	1.1
<b>Total</b>	<b>6.6</b>	<b>5.5</b>	<b>5.0</b>	<b>4.4</b>	<b>4.2</b>	<b>3.7</b>	<b>3.2</b>	<b>2.6</b>	<b>2.2</b>	<b>2.1</b>	<b>2.0</b>	<b>1.6</b>	<b>1.3</b>	<b>1.0</b>

**Table 24. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2010 to 2021**

	Prescription Amphetamine Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	3.9	3.4	3.5	3.3	2.6	3.7	3.4	1.1	1.0	1.1	1.1	0.8	1.1	1.0
Male	3.3	3.1	3.2	3.2	2.6	3.2	3.1	1.1	1.0	1.1	1.2	0.7	1.1	0.7
<b>Race/Ethnic group</b>														
African American	1.3	1.1	1.3	1.2	1.2	1.9	1.6	0.6	0.5	0.6	0.6	0.5	0.9	0.6
Hispanic/Latino	2.6	2.3	2.8	2.5	1.9	2.5	2.4	0.9	0.7	1.2	0.9	0.6	0.8	0.7
White, non-Hispanic	5.3	4.5	4.3	4.3	3.6	4.3	4.2	1.4	1.4	1.3	1.5	0.9	1.3	0.9
<b>Age</b>														
11	0.5	0.6	0.4	0.5	0.6	1.1	1.9	0.2	0.2	0.2	0.2	0.3	0.7	0.3
12	1.0	0.8	0.7	1.0	0.9	1.3	1.6	0.4	0.4	0.4	0.4	0.4	0.4	0.3
13	1.5	1.2	1.1	1.4	1.6	2.7	2.7	0.5	0.4	0.6	0.6	0.5	1.0	1.0
14	2.5	1.9	2.1	2.2	2.1	3.3	3.4	1.0	0.8	0.9	0.8	0.8	1.5	1.1
15	3.3	2.9	3.6	3.2	2.5	3.8	3.1	1.2	1.1	1.3	1.3	0.8	1.3	0.8
16	5.4	4.8	4.7	4.9	3.6	4.4	4.5	1.4	1.5	1.5	1.8	1.0	1.3	1.3
17	6.1	6.7	6.9	5.6	4.3	4.9	3.8	1.6	1.8	2.1	2.1	1.1	1.0	1.0
18	7.2	7.1	6.6	6.9	5.6	5.7	4.6	1.6	1.7	2.1	1.8	0.8	1.6	0.3
<b>Grade</b>														
6th	0.9	0.7	0.6	0.8	0.9	1.1	1.8	0.4	0.3	0.4	0.3	0.4	0.5	0.1
7th	1.4	1.2	1.0	1.2	1.0	2.0	2.4	0.5	0.5	0.5	0.7	0.5	0.6	0.4
8th	2.4	1.5	1.4	1.8	1.9	3.2	2.5	0.9	0.5	0.6	0.7	0.6	1.4	1.1
9th	3.4	2.4	3.1	2.6	2.3	3.4	3.3	1.1	1.0	1.1	0.9	0.9	1.5	0.9
10th	4.9	4.2	4.5	4.2	3.1	4.3	4.5	1.4	1.4	1.4	1.6	0.9	1.4	1.5
11th	6.0	5.4	5.4	5.8	3.9	5.1	4.4	1.6	1.6	1.7	2.1	1.0	1.4	1.2
12th	6.8	7.8	7.7	6.4	5.4	5.1	4.3	1.4	1.9	2.5	1.9	1.0	1.2	0.5
<b>Middle School</b>	1.6	1.1	1.0	1.3	1.2	2.1	2.2	0.6	0.4	0.5	0.5	0.5	0.8	0.6
<b>High School</b>	5.2	4.8	5.1	4.7	3.6	4.5	4.1	1.4	1.5	1.7	1.6	1.0	1.3	1.0
<b>Total</b>	<b>3.6</b>	<b>3.2</b>	<b>3.3</b>	<b>3.2</b>	<b>2.6</b>	<b>3.4</b>	<b>3.3</b>	<b>1.1</b>	<b>1.0</b>	<b>1.2</b>	<b>1.2</b>	<b>0.8</b>	<b>1.1</b>	<b>0.8</b>

**Table 25. Percentage of surveyed Florida youth who used a needle to inject an illegal drug in lifetime—2016 to 2021**

Needle to Inject Illegal Drug							
Lifetime							
				2016 %	2018 %	2020 %	2021 %
<b>Sex</b>							
Female				0.6	0.5	0.6	0.0
Male				0.8	0.8	0.9	1.0
<b>Race/Ethnic group</b>							
African American				0.6	0.6	0.8	0.7
Hispanic/Latino				0.6	0.5	0.5	0.4
White, non-Hispanic				0.8	0.6	0.6	0.6
<b>Age</b>							
11				--	--	--	--
12				--	--	--	--
13				--	--	--	--
14				0.4	0.7	0.6	0.2
15				0.7	0.5	0.8	0.5
16				0.9	0.5	0.8	0.5
17				0.7	0.7	0.7	0.4
18				0.7	0.7	0.8	1.0
<b>Grade</b>							
6th				--	--	--	--
7th				--	--	--	--
8th				--	--	--	--
9th				0.6	0.6	0.8	0.4
10th				1.0	0.7	0.6	0.1
11th				0.7	0.7	0.9	0.9
12th				0.7	0.5	0.6	0.8
<b>Middle School</b>				--	--	--	--
<b>High School</b>				0.8	0.6	0.7	.05
<b>Total</b>				--	--	--	--

**Table 26. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2010 to 2021**

	Any Illicit Drug													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	32.7	31.6	30.7	29.0	28.7	31.0	29.2	17.3	16.3	16.4	15.1	15.0	15.5	14.5
Male	33.2	31.8	29.4	26.4	25.2	25.6	24.0	18.6	18.0	16.3	14.2	13.4	14.1	11.7
<b>Race/Ethnic group</b>														
African American	28.4	27.5	27.9	26.1	24.7	25.8	22.3	15.4	14.9	14.4	12.6	13.4	13.6	11.0
Hispanic/Latino	32.1	30.4	29.7	26.9	25.7	26.5	25.0	16.8	16.3	15.7	14.4	12.8	13.4	12.3
White, non-Hispanic	35.9	33.8	31.3	28.6	28.4	29.6	28.5	20.0	18.0	17.5	15.4	15.1	15.3	13.7
<b>Age</b>														
11	13.8	12.0	9.6	8.0	9.5	10.7	14.3	5.8	5.3	4.7	3.2	4.4	4.7	5.9
12	17.0	14.1	12.9	11.9	12.2	15.3	14.4	8.2	6.7	5.7	5.6	5.6	6.6	4.6
13	22.4	21.0	19.5	17.0	18.8	20.8	19.3	11.0	9.8	8.9	8.0	8.8	9.5	7.8
14	29.8	27.0	26.6	23.7	24.1	26.3	25.1	16.3	14.2	14.3	12.2	12.0	13.0	11.0
15	35.6	35.5	34.0	30.0	29.2	29.5	26.7	20.0	20.4	19.8	16.9	15.6	16.2	13.6
16	41.8	41.4	40.4	37.0	36.4	37.7	33.8	23.2	23.1	21.6	19.8	20.3	20.1	18.3
17	44.9	47.8	46.1	43.1	39.4	39.6	38.1	24.7	26.8	26.6	23.4	21.5	22.0	19.8
18	45.7	49.4	45.0	44.8	41.8	43.7	38.6	25.9	27.1	26.6	24.5	24.5	25.9	21.7
<b>Grade</b>														
6th	16.0	13.2	12.0	10.2	11.0	13.1	14.7	8.2	6.3	5.4	4.6	5.4	5.7	5.2
7th	23.2	19.3	17.3	15.1	16.5	18.3	16.7	11.2	9.3	8.3	7.4	7.6	8.4	6.4
8th	29.2	25.7	24.4	21.6	22.0	24.6	22.8	15.6	13.2	12.3	10.5	10.6	12.2	9.2
9th	34.8	32.8	31.1	27.3	25.9	27.5	24.3	20.1	18.4	17.6	15.2	13.3	13.9	12.0
10th	40.9	38.3	38.4	34.5	34.3	33.6	32.5	22.7	21.4	21.8	19.1	19.3	18.5	17.2
11th	42.7	45.5	42.4	41.3	37.3	40.0	36.8	23.2	25.7	23.5	22.4	20.4	22.9	20.5
12th	45.7	49.4	47.0	44.0	42.3	42.7	39.4	25.6	26.9	27.0	23.7	23.5	23.2	21.0
<b>Middle School</b>	22.8	19.4	17.9	15.7	16.5	18.7	18.1	11.7	9.6	8.7	7.5	7.9	8.8	7.0
<b>High School</b>	40.7	41.0	39.3	36.4	34.8	35.7	33.0	22.7	22.9	22.3	20.0	19.0	19.5	17.5
<b>Total</b>	<b>33.0</b>	<b>31.7</b>	<b>30.0</b>	<b>27.7</b>	<b>26.9</b>	<b>28.3</b>	<b>26.5</b>	<b>18.0</b>	<b>17.2</b>	<b>16.4</b>	<b>14.7</b>	<b>14.3</b>	<b>14.8</b>	<b>12.9</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 27. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2010 to 2021**

	Any Illicit Drug Other Than Marijuana													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	22.0	19.7	17.9	16.4	15.5	15.9	15.5	9.8	8.6	7.9	7.3	6.5	6.0	5.2
Male	20.0	17.8	16.4	14.2	13.7	12.7	12.1	8.8	7.7	7.0	6.2	5.1	5.0	3.8
<b>Race/Ethnic group</b>														
African American	15.3	13.5	12.8	12.3	12.0	10.9	9.8	7.6	6.7	6.2	5.7	6.0	4.9	3.8
Hispanic/Latino	21.1	18.9	16.9	15.2	13.7	13.1	12.5	9.3	8.5	7.5	7.0	5.3	4.9	4.6
White, non-Hispanic	23.0	20.2	18.5	16.3	15.9	15.6	15.7	9.9	8.0	7.6	6.8	5.8	5.5	4.6
<b>Age</b>														
11	13.2	11.6	8.7	7.5	8.7	9.2	13.1	5.6	5.2	4.3	3.1	4.1	4.1	5.5
12	15.2	12.5	11.2	10.5	10.7	12.2	11.2	7.1	5.9	4.6	5.0	4.9	5.0	3.3
13	18.1	16.3	15.2	12.9	13.8	14.4	12.6	8.5	6.9	6.7	5.8	5.9	6.1	4.6
14	21.7	17.8	16.9	15.3	15.4	14.5	14.3	10.1	8.2	7.9	7.2	6.4	5.9	5.1
15	22.1	19.0	17.9	16.7	15.3	14.0	13.6	9.7	8.8	8.6	7.8	5.7	5.6	5.0
16	23.7	22.0	19.0	17.6	17.0	15.2	14.8	10.6	9.6	8.4	7.7	6.7	5.7	4.0
17	23.9	24.3	22.9	19.0	16.2	15.9	16.2	9.7	9.3	9.1	7.5	6.0	5.2	4.8
18	24.0	24.5	21.8	19.8	18.3	17.7	13.9	10.1	10.0	8.1	8.5	5.9	6.3	3.1
<b>Grade</b>														
6th	14.4	12.1	10.5	9.2	9.8	10.7	12.8	7.3	5.8	4.8	4.2	4.8	4.6	4.3
7th	19.4	15.4	14.0	11.7	13.0	13.5	10.5	8.8	6.7	6.1	5.7	5.6	5.7	4.0
8th	21.1	18.3	16.7	15.1	15.1	15.2	13.9	9.4	8.3	7.6	6.8	6.2	6.6	4.7
9th	21.9	18.8	16.8	15.6	14.4	13.6	12.3	10.2	8.6	7.8	7.2	5.8	5.1	4.3
10th	23.4	19.5	19.5	17.8	17.1	14.3	16.3	10.4	8.8	9.4	7.9	6.7	5.7	5.7
11th	23.5	23.3	20.2	18.6	15.7	16.1	15.6	9.4	9.5	7.8	7.8	5.7	5.3	5.3
12th	23.8	24.9	23.0	19.2	17.6	17.0	15.1	9.8	9.6	9.0	7.7	6.0	5.7	2.9
<b>Middle School</b>	18.3	15.3	13.7	12.0	12.6	13.2	12.4	8.5	6.9	6.2	5.6	5.5	5.7	4.4
<b>High School</b>	23.1	21.5	19.7	17.7	16.2	15.2	14.8	10.0	9.1	8.5	7.7	6.0	5.4	4.5
<b>Total</b>	<b>21.0</b>	<b>18.8</b>	<b>17.1</b>	<b>15.3</b>	<b>14.6</b>	<b>14.3</b>	<b>13.8</b>	<b>9.3</b>	<b>8.2</b>	<b>7.5</b>	<b>6.8</b>	<b>5.8</b>	<b>5.5</b>	<b>4.5</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 28. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2010 to 2021**

	Alcohol Only													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	24.8	22.1	19.5	18.1	16.8	15.3	15.7	17.5	14.7	11.7	11.1	9.0	8.6	8.1
Male	22.2	19.9	17.8	17.0	15.6	14.3	14.1	15.6	12.7	10.1	9.1	7.4	7.0	6.5
<b>Race/Ethnic group</b>														
African American	23.1	18.8	14.6	13.7	12.4	11.3	10.6	13.0	10.3	7.8	7.3	5.1	5.1	3.6
Hispanic/Latino	26.4	23.1	21.5	20.3	18.6	16.5	15.3	18.7	15.1	12.9	10.8	9.1	7.8	5.6
White, non-Hispanic	22.5	21.2	19.4	18.3	17.0	15.9	17.0	17.6	14.9	12.2	11.4	9.6	9.3	9.8
<b>Age</b>														
11	9.0	9.5	8.0	7.3	7.2	8.5	9.4	4.3	4.4	2.8	1.8	1.8	2.8	3.2
12	14.9	13.2	11.6	10.2	9.4	10.6	10.3	6.9	5.0	4.3	3.7	2.8	4.0	3.6
13	20.2	17.2	15.7	14.1	12.8	12.7	16.0	10.8	9.3	7.3	6.1	5.0	5.2	5.8
14	24.7	23.6	19.4	17.8	17.0	15.5	17.0	14.9	12.0	10.2	8.4	7.5	7.1	6.1
15	26.9	24.5	20.8	19.6	17.2	17.1	17.1	18.9	16.3	11.7	10.9	8.2	8.5	7.2
16	26.6	25.5	22.5	20.5	20.1	15.6	17.2	20.2	17.8	15.0	12.0	11.0	9.9	9.9
17	27.5	24.5	23.0	22.9	21.9	18.5	12.3	22.8	20.7	16.4	17.2	13.6	11.4	10.8
18	26.6	23.4	23.9	21.7	19.5	17.2	15.6	26.0	21.6	17.9	18.0	14.2	12.4	10.0
<b>Grade</b>														
6th	13.5	10.7	9.9	8.4	7.6	9.2	9.4	6.3	4.5	3.5	2.9	2.2	3.5	3.4
7th	18.2	16.6	13.3	12.6	11.6	11.9	14.3	10.5	7.9	5.8	4.6	3.7	4.8	4.5
8th	24.5	20.8	18.7	16.3	14.7	14.4	16.2	14.0	11.4	9.4	8.2	7.0	6.4	6.6
9th	26.2	24.4	20.7	19.1	18.9	16.4	18.6	18.0	15.0	11.4	9.5	7.6	7.5	6.3
10th	27.0	25.2	21.1	20.3	17.9	16.4	16.0	20.5	17.0	13.5	11.6	10.1	9.1	8.8
11th	27.7	25.1	23.1	21.4	21.8	16.6	12.6	22.0	18.8	15.2	15.0	12.1	10.1	9.6
12th	27.2	24.1	24.2	23.4	20.7	19.1	16.3	25.5	22.2	18.5	18.3	14.8	13.5	11.8
<b>Middle School</b>	18.7	16.0	14.0	12.5	11.3	11.9	13.3	10.3	7.9	6.3	5.2	4.3	4.9	4.9
<b>High School</b>	27.0	24.7	22.2	21.0	19.8	17.1	16.0	21.3	18.1	14.5	13.4	11.1	10.0	9.0
<b>Total</b>	<b>23.4</b>	<b>21.0</b>	<b>18.6</b>	<b>17.5</b>	<b>16.2</b>	<b>14.8</b>	<b>14.8</b>	<b>16.5</b>	<b>13.7</b>	<b>10.9</b>	<b>10.0</b>	<b>8.2</b>	<b>7.7</b>	<b>7.2</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 29. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2010 to 2021**

	Alcohol Or Any Illicit Drug													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	57.4	53.6	50.1	46.8	45.2	46.1	44.8	34.4	30.7	27.9	25.8	23.7	23.9	22.4
Male	55.3	51.4	47.0	43.1	40.5	39.6	37.9	33.7	30.2	26.1	22.9	20.4	20.8	18.0
<b>Race/Ethnic group</b>														
African American	51.1	46.1	42.3	39.4	36.8	36.6	32.6	27.9	24.6	21.6	19.4	17.8	18.3	14.4
Hispanic/Latino	58.4	53.3	51.1	46.8	44.0	42.7	40.1	35.3	31.0	28.1	24.7	21.7	21.0	17.7
White, non-Hispanic	58.4	54.9	50.6	46.7	45.3	45.3	45.4	37.4	32.7	29.5	26.6	24.4	24.5	23.4
<b>Age</b>														
11	22.5	21.4	17.4	14.9	16.5	19.0	23.4	9.9	9.6	7.3	5.1	6.2	7.6	8.9
12	31.8	27.2	24.3	21.7	21.3	25.6	24.7	15.0	11.6	9.9	9.0	8.3	10.5	8.2
13	42.5	38.0	35.1	30.8	31.3	33.4	34.9	21.6	19.0	16.1	13.9	13.7	14.5	13.4
14	54.4	50.4	45.9	41.1	40.8	41.6	41.8	30.8	25.9	24.3	20.2	19.3	20.0	17.2
15	62.4	59.8	54.8	49.5	46.2	46.0	43.7	38.5	36.3	31.1	27.4	23.4	24.4	20.9
16	68.2	66.7	62.7	57.4	56.3	52.8	50.9	43.0	40.3	36.1	31.3	30.7	29.7	28.1
17	72.1	72.1	69.0	65.8	61.1	58.0	50.4	47.2	46.8	42.7	40.2	34.3	33.2	30.3
18	72.2	72.6	68.8	66.3	61.1	60.5	53.9	51.0	48.1	44.0	41.7	37.5	37.8	31.2
<b>Grade</b>														
6th	29.5	23.9	21.7	18.2	18.4	22.1	23.9	14.3	10.7	8.9	7.3	7.6	9.1	8.4
7th	41.3	35.8	30.4	27.4	27.7	30.1	30.7	21.7	17.1	14.0	11.9	11.2	13.1	10.9
8th	53.5	46.3	43.0	37.6	36.4	38.8	38.9	29.4	24.5	21.6	18.3	17.5	18.5	15.8
9th	60.9	57.1	51.7	46.2	44.6	43.4	42.7	37.6	33.0	28.6	24.3	20.5	21.1	18.3
10th	67.7	63.4	59.5	54.5	52.0	49.6	48.4	42.8	38.1	34.8	30.2	28.8	27.2	26.2
11th	70.3	70.4	65.5	62.4	58.8	56.3	49.3	44.9	43.9	38.6	36.8	31.9	32.8	29.8
12th	72.8	73.4	71.0	67.4	62.8	61.5	55.7	50.6	48.6	45.1	41.7	37.3	36.3	32.4
<b>Middle School</b>	41.5	35.3	31.7	27.8	27.5	30.4	31.2	21.8	17.4	14.8	12.5	12.1	13.6	11.7
<b>High School</b>	67.5	65.6	61.4	57.2	54.4	52.4	48.8	43.6	40.4	36.3	32.9	29.5	29.1	26.4
<b>Total</b>	<b>56.3</b>	<b>52.5</b>	<b>48.5</b>	<b>44.8</b>	<b>42.9</b>	<b>42.8</b>	<b>41.2</b>	<b>34.1</b>	<b>30.5</b>	<b>27.0</b>	<b>24.3</b>	<b>22.0</b>	<b>22.3</b>	<b>20.0</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 30. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2010 to 2021**

	Any Illicit Drug, but No Alcohol													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	4.5	5.0	5.9	6.0	6.7	7.9	8.1	5.4	5.7	6.5	6.4	7.2	8.1	6.5
Male	5.3	5.8	6.3	6.5	6.7	7.3	7.4	5.8	6.7	6.9	6.3	6.9	7.2	6.5
<b>Race/Ethnic group</b>														
African American	6.4	7.7	8.3	9.0	8.9	10.5	10.4	6.5	7.7	8.2	7.7	8.9	9.4	7.5
Hispanic/Latino	4.5	4.7	6.0	6.0	6.2	7.6	7.8	5.3	5.8	6.3	6.7	6.7	7.1	6.9
White, non-Hispanic	4.1	4.5	4.8	5.0	5.7	5.9	6.2	5.2	5.3	6.0	5.4	6.2	6.6	5.6
<b>Age</b>														
11	7.4	6.8	6.3	5.3	5.7	6.1	7.2	4.3	4.2	3.6	2.7	3.5	3.1	4.7
12	6.7	6.4	6.3	6.4	6.2	7.3	8.2	4.9	4.6	3.8	4.0	3.9	4.6	3.2
13	6.3	6.6	7.3	6.6	7.8	7.5	7.3	5.1	5.1	5.1	4.8	5.6	5.4	4.2
14	5.2	5.8	7.1	7.0	7.3	8.9	9.5	5.9	6.0	6.1	5.9	6.4	7.8	6.5
15	4.5	5.3	6.3	6.4	7.4	7.8	7.6	6.5	7.5	8.6	7.8	7.9	8.7	6.4
16	4.0	4.5	4.9	6.2	6.7	7.6	8.6	5.9	7.1	8.1	8.0	9.6	10.4	8.9
17	3.9	4.0	5.3	5.8	5.8	7.1	6.5	5.8	7.0	8.8	8.1	9.1	9.4	7.4
18	2.4	4.1	4.5	5.2	5.7	7.9	5.6	4.8	6.6	8.1	7.6	9.4	10.8	10.7
<b>Grade</b>														
6th	7.0	6.5	6.7	6.2	6.1	6.9	8.2	5.2	4.3	3.9	3.5	3.9	4.0	3.9
7th	6.3	6.6	6.6	6.3	7.5	7.3	7.7	5.1	5.4	4.7	4.5	5.1	5.2	4.5
8th	5.7	6.4	7.3	7.0	7.2	8.3	8.2	5.6	6.2	5.9	5.5	5.8	7.2	4.8
9th	4.6	5.4	6.4	6.5	7.2	8.7	8.0	6.8	6.7	7.5	7.4	6.9	8.2	6.5
10th	4.2	5.0	5.7	6.9	7.1	7.4	8.7	5.9	7.0	8.7	8.1	9.6	9.1	7.9
11th	3.5	4.1	5.3	6.1	6.3	8.0	7.8	5.5	7.5	8.6	8.0	8.8	11.1	9.2
12th	2.8	3.5	4.4	4.8	5.6	6.7	5.2	5.0	6.2	7.8	7.7	9.3	9.0	8.5
<b>Middle School</b>	6.3	6.5	6.9	6.5	6.9	7.5	8.1	5.3	5.3	4.8	4.5	4.9	5.5	4.4
<b>High School</b>	3.8	4.6	5.5	6.1	6.6	7.7	7.4	5.9	6.8	8.1	7.8	8.6	9.4	8.0
<b>Total</b>	<b>4.9</b>	<b>5.4</b>	<b>6.1</b>	<b>6.3</b>	<b>6.7</b>	<b>7.6</b>	<b>7.7</b>	<b>5.6</b>	<b>6.2</b>	<b>6.7</b>	<b>6.4</b>	<b>7.1</b>	<b>7.7</b>	<b>6.4</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 31. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2010 to 2021**

	Delinquent Behavior													
	Carrying a Handgun							Selling Drugs						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	1.9	1.8	2.7	2.6	3.2	3.6	3.7	3.8	2.8	3.1	3.0	2.7	2.3	1.4
Male	7.8	6.9	7.8	8.3	8.7	8.6	8.8	8.7	7.1	6.6	5.4	5.1	4.2	3.3
<b>Race/Ethnic group</b>														
African American	6.1	4.3	4.8	4.7	5.8	5.7	5.6	5.5	4.3	4.3	3.4	3.3	2.9	2.6
Hispanic/Latino	4.7	3.5	4.0	4.7	5.0	4.9	5.0	6.1	4.7	4.6	4.2	3.3	2.9	1.9
White, non-Hispanic	4.5	4.7	5.9	6.1	6.6	6.7	7.1	6.9	5.6	5.4	4.4	4.3	3.5	2.2
<b>Age</b>														
11	2.6	2.5	2.7	3.5	4.0	5.1	5.8	0.2	0.2	0.5	0.2	0.3	0.2	0.2
12	3.2	3.1	4.3	4.3	4.4	5.1	5.9	1.1	0.9	0.9	0.9	0.8	0.8	0.8
13	3.9	4.3	5.5	5.1	6.3	6.9	6.9	2.7	2.2	2.0	1.6	1.7	2.0	1.2
14	5.5	5.0	5.6	6.0	6.6	6.3	7.4	5.6	4.2	4.0	3.4	3.3	2.5	1.9
15	5.1	4.5	6.3	6.2	6.2	6.1	6.4	8.0	6.1	6.5	5.8	4.8	3.3	2.7
16	5.8	4.6	4.9	5.8	6.4	6.0	5.6	9.4	7.6	7.7	6.2	5.7	4.9	3.4
17	4.7	4.9	5.4	5.7	6.7	5.6	5.7	9.1	8.7	7.8	6.2	6.4	5.3	3.9
18	6.2	4.7	6.2	5.8	5.7	7.8	5.4	9.0	7.3	8.1	7.0	7.1	7.1	3.3
<b>Grade</b>														
6th	3.4	3.0	3.9	4.2	4.4	5.2	5.4	1.3	0.6	0.8	0.6	0.6	0.6	0.8
7th	4.8	4.0	5.3	4.8	5.5	6.3	7.1	3.0	2.0	1.8	1.3	1.2	1.5	1.0
8th	5.5	5.9	6.1	6.1	7.1	7.0	7.5	5.4	4.2	3.8	2.9	2.7	2.7	1.5
9th	5.1	4.5	5.4	6.4	6.0	5.9	5.8	7.7	5.8	5.6	5.4	4.2	2.8	1.9
10th	5.0	4.2	6.0	6.0	6.7	5.9	6.8	9.4	6.7	7.3	6.4	5.7	3.6	3.3
11th	5.0	4.5	5.2	5.8	5.9	5.8	5.8	8.8	7.7	7.7	6.1	5.5	5.9	4.3
12th	5.1	4.6	5.0	4.9	6.3	6.5	5.0	8.3	8.4	7.3	6.4	7.4	6.1	3.6
<b>Middle School</b>	4.6	4.3	5.1	5.0	5.7	6.2	6.7	3.3	2.2	2.1	1.6	1.5	1.6	1.1
<b>High School</b>	5.1	4.5	5.4	5.8	6.2	6.0	5.9	8.5	7.1	6.9	6.0	5.7	4.5	3.2
<b>Total</b>	<b>4.9</b>	<b>4.4</b>	<b>5.3</b>	<b>5.5</b>	<b>6.0</b>	<b>6.1</b>	<b>6.2</b>	<b>6.3</b>	<b>5.0</b>	<b>4.9</b>	<b>4.2</b>	<b>3.9</b>	<b>3.3</b>	<b>2.3</b>

**Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2010 to 2021**

	Delinquent Behavior													
	Attempting to Steal a Vehicle							Being Arrested						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	1.4	1.2	0.9	0.8	1.2	1.1	0.8	3.4	2.4	2.1	1.8	1.7	1.8	1.2
Male	3.1	2.3	1.8	1.7	1.8	1.8	1.8	6.2	4.2	3.5	3.0	2.8	2.7	2.3
<b>Race/Ethnic group</b>														
African American	2.9	2.2	2.1	2.0	2.5	2.2	1.8	6.9	4.7	4.1	3.7	3.7	3.5	2.6
Hispanic/Latino	2.6	1.6	1.1	1.3	1.2	1.4	0.9	4.8	3.1	2.8	2.3	1.9	1.9	1.8
White, non-Hispanic	1.6	1.4	1.1	0.9	1.0	1.1	0.9	3.9	2.8	2.3	1.8	1.7	1.7	1.0
<b>Age</b>														
11	0.6	0.5	0.3	0.2	0.6	0.4	0.5	0.6	0.5	0.6	0.5	0.5	1.5	0.9
12	1.1	1.0	0.6	0.7	0.8	1.0	1.6	1.7	1.2	0.9	1.1	1.0	1.4	0.9
13	1.9	1.4	1.1	1.2	1.3	1.5	1.4	3.8	2.5	2.0	2.0	2.1	2.3	1.6
14	2.8	1.6	1.5	1.4	2.2	1.5	1.5	5.4	3.8	2.9	2.7	2.7	2.8	1.6
15	2.8	2.3	1.8	1.7	2.0	1.8	1.0	5.7	4.3	4.1	3.3	2.9	2.3	1.7
16	2.4	2.2	1.9	1.6	1.7	1.4	1.7	6.0	4.5	3.6	3.1	2.8	2.7	3.4
17	2.2	2.4	1.4	1.3	1.0	1.4	1.0	5.8	4.2	3.4	2.5	2.6	2.0	1.6
18	2.3	1.3	1.7	1.6	1.5	2.3	0.5	5.2	3.5	3.6	2.8	2.3	3.0	0.5
<b>Grade</b>														
6th	1.4	0.9	0.7	0.6	0.7	0.9	0.8	2.4	1.2	1.2	1.1	1.1	1.8	1.2
7th	2.1	1.4	0.9	1.1	1.2	1.3	1.7	4.5	2.6	1.8	1.7	2.0	2.1	1.1
8th	2.6	2.0	1.7	1.3	2.1	1.5	1.6	5.4	3.8	3.4	2.9	2.1	2.7	1.6
9th	2.9	2.1	1.4	1.6	2.2	1.7	1.2	5.2	4.4	3.2	3.1	2.9	2.4	2.4
10th	2.5	1.9	1.9	1.8	1.8	1.5	0.8	5.6	3.9	3.9	3.3	3.1	2.3	2.6
11th	2.1	2.2	1.5	1.3	1.0	1.8	1.9	5.3	4.1	3.0	2.7	2.2	2.5	2.1
12th	1.9	1.8	1.3	1.1	1.2	1.4	1.0	5.0	3.4	3.1	2.0	2.4	2.0	1.2
<b>Middle School</b>	2.1	1.4	1.1	1.0	1.4	1.3	1.4	4.1	2.5	2.2	1.9	1.7	2.2	1.3
<b>High School</b>	2.4	2.0	1.5	1.5	1.6	1.6	1.2	5.3	4.0	3.3	2.8	2.6	2.3	2.1
<b>Total</b>	<b>2.2</b>	<b>1.8</b>	<b>1.4</b>	<b>1.3</b>	<b>1.5</b>	<b>1.5</b>	<b>1.3</b>	<b>4.8</b>	<b>3.4</b>	<b>2.8</b>	<b>2.4</b>	<b>2.3</b>	<b>2.3</b>	<b>1.8</b>

**Table 33. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2010 to 2021**

	Delinquent Behavior													
	Taking A Handgun To School							Getting Suspended						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	0.4	0.4	0.4	0.3	0.3	0.4	0.2	10.7	8.6	7.4	7.0	7.3	9.2	7.7
Male	1.6	1.1	1.0	0.9	0.9	0.8	0.3	18.7	15.2	12.9	12.5	11.7	14.1	14.1
<b>Race/Ethnic group</b>														
African American	1.8	1.0	1.3	1.0	1.4	1.0	0.6	25.2	20.6	18.6	16.4	16.7	20.5	21.1
Hispanic/Latino	1.1	0.6	0.7	0.7	0.5	0.5	0.3	14.1	11.2	10.3	9.5	8.1	9.5	9.2
White, non-Hispanic	0.6	0.6	0.5	0.3	0.3	0.4	0.1	11.0	8.7	7.2	6.7	6.7	8.2	6.6
<b>Age</b>														
11	0.2	0.2	0.4	0.1	0.2	0.4	0.1	8.2	8.0	5.5	5.5	7.3	9.0	8.9
12	0.6	0.3	0.3	0.2	0.4	0.3	0.3	11.1	9.8	8.1	7.8	8.7	11.8	8.4
13	0.6	0.6	0.5	0.6	0.5	0.5	0.2	15.6	13.6	11.8	11.5	11.4	14.6	12.2
14	1.0	0.9	0.8	0.6	0.7	0.6	0.5	18.4	14.4	12.2	12.3	12.0	13.9	15.3
15	1.0	0.8	0.9	0.6	0.8	0.5	0.3	16.1	13.0	12.2	11.5	10.4	12.2	10.3
16	1.1	0.9	0.9	1.0	0.7	0.6	0.3	15.4	11.4	10.9	9.8	8.9	10.0	11.4
17	1.4	0.9	0.8	0.5	0.7	0.7	0.2	13.4	11.3	8.8	8.0	7.5	8.6	10.2
18	1.3	0.8	1.0	0.9	0.9	1.2	0.0	12.3	9.8	7.9	7.6	7.5	10.5	5.9
<b>Grade</b>														
6th	0.6	0.3	0.5	0.2	0.4	0.4	0.1	12.6	10.7	8.2	8.0	8.7	11.6	9.9
7th	0.9	0.6	0.4	0.5	0.4	0.5	0.4	17.0	14.0	12.0	11.2	11.4	14.5	11.8
8th	1.0	1.1	0.8	0.5	0.6	0.5	0.4	18.9	14.6	12.6	12.6	12.0	15.0	13.2
9th	1.1	0.8	0.7	0.8	1.1	0.6	0.5	16.1	14.1	11.6	12.0	11.4	12.5	12.4
10th	1.0	0.9	1.1	0.9	0.7	0.6	0.1	13.9	10.7	10.9	9.4	8.8	9.4	11.0
11th	1.2	0.8	0.9	0.7	0.6	1.0	0.4	12.5	10.4	9.2	8.7	6.7	9.4	11.1
12th	1.2	0.9	0.6	0.6	0.8	0.8	0.0	11.2	8.4	6.5	6.1	7.6	8.6	6.3
<b>Middle School</b>	0.8	0.7	0.6	0.4	0.4	0.4	0.3	16.2	13.1	11.0	10.6	10.7	13.7	11.7
<b>High School</b>	1.1	0.8	0.8	0.7	0.8	0.7	0.3	13.6	11.1	9.7	9.1	8.7	10.0	10.3
<b>Total</b>	<b>1.0</b>	<b>0.8</b>	<b>0.7</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.3</b>	<b>14.7</b>	<b>11.9</b>	<b>10.3</b>	<b>9.8</b>	<b>9.5</b>	<b>11.6</b>	<b>10.9</b>

**Table 34. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2010 to 2021**

	Delinquent Behavior						
	Attacking Someone With Intent To Harm						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>							
Female	8.9	6.6	6.1	5.3	5.6	5.8	5.5
Male	12.3	9.2	7.7	6.9	7.3	7.6	7.1
<b>Race/Ethnic group</b>							
African American	16.6	12.0	11.2	10.1	11.3	11.3	10.4
Hispanic/Latino	9.4	6.6	6.3	5.2	5.3	5.4	5.1
White, non-Hispanic	8.2	6.0	4.9	4.4	4.3	4.6	4.0
<b>Age</b>							
11	6.0	4.3	4.3	4.2	4.9	6.5	8.0
12	8.8	6.8	5.5	4.6	6.3	7.8	8.0
13	10.4	8.2	7.3	6.7	8.0	8.6	8.7
14	12.1	9.0	7.5	7.3	7.4	7.6	8.9
15	11.7	9.5	8.5	7.6	6.5	6.8	5.9
16	10.9	8.6	7.6	6.6	5.9	5.2	4.2
17	10.6	6.5	6.7	5.6	5.5	4.8	4.2
18	9.8	7.4	4.7	4.2	5.4	5.3	1.6
<b>Grade</b>							
6th	8.9	6.1	5.5	4.5	6.5	7.8	7.8
7th	11.4	8.3	6.6	6.1	6.7	8.2	8.7
8th	11.9	9.5	8.1	7.8	8.3	8.8	10.4
9th	11.6	9.4	8.3	7.8	6.9	6.8	5.7
10th	10.7	8.0	8.4	6.5	6.0	5.2	5.2
11th	10.0	7.1	6.1	5.7	5.2	5.3	4.1
12th	9.1	6.5	4.6	4.1	5.7	4.6	2.2
<b>Middle School</b>	10.8	8.0	6.7	6.2	7.2	8.3	9.0
<b>High School</b>	10.5	7.8	7.0	6.1	5.9	5.5	4.3
<b>Total</b>	<b>10.6</b>	<b>7.9</b>	<b>6.9</b>	<b>6.1</b>	<b>6.5</b>	<b>6.7</b>	<b>6.3</b>

**Table 35. Percentage of surveyed Florida high school youth who started using alcohol at age 13 or younger—2010 to 2021**

	Early ATOD Use													
	More Than A Sip Of Alcohol							Drinking At Least Once A Month						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	25.3	23.9	20.5	18.3	17.1	16.4	14.9	5.3	4.6	3.9	3.7	2.4	2.9	1.9
Male	29.0	26.8	23.2	20.2	18.1	15.4	13.4	6.4	5.4	3.9	3.4	2.5	2.5	1.6
<b>Race/Ethnic group</b>														
African American	24.1	23.3	19.4	17.5	16.4	13.8	10.1	5.1	4.5	3.6	3.9	2.2	2.7	1.2
Hispanic/Latino	29.1	26.2	22.0	19.1	17.1	15.4	13.4	7.2	5.3	4.1	3.1	2.7	2.6	1.4
White, non-Hispanic	26.2	24.2	22.3	19.5	18.2	17.0	15.5	5.3	4.8	3.9	3.3	2.4	2.6	1.9
<b>Age</b>														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	37.8	35.1	30.3	27.4	27.0	24.8	23.0	9.0	7.0	5.2	4.8	3.3	3.6	2.3
15	32.1	29.3	25.4	21.5	20.0	18.6	19.1	6.5	5.9	4.1	3.8	2.9	2.8	2.9
16	27.2	24.4	20.9	19.0	17.7	15.1	12.5	6.0	4.8	4.0	3.8	2.3	2.5	1.6
17	23.6	21.8	18.8	17.4	13.6	12.3	10.1	5.2	4.0	3.5	2.9	2.3	2.3	1.1
18	20.6	19.0	16.0	13.8	12.9	12.4	8.2	4.0	4.2	3.0	2.7	1.8	3.0	0.7
<b>Grade</b>														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	33.8	32.8	27.5	24.3	23.3	21.5	20.1	7.8	7.1	4.9	4.5	3.3	3.3	2.9
10th	28.0	25.1	22.7	18.3	18.1	16.3	15.7	6.4	4.9	4.2	3.3	2.4	2.5	1.6
11th	24.2	22.6	18.9	18.1	15.0	13.0	10.5	4.7	4.0	3.0	3.1	2.1	2.4	1.6
12th	20.9	19.5	17.2	16.0	13.6	12.4	9.0	4.0	3.9	3.3	3.1	2.1	2.5	0.9
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	27.1	25.4	21.8	19.4	17.6	15.9	14.0	5.8	5.0	3.9	3.5	2.5	2.7	1.7
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 36. Percentage of surveyed Florida high school youth who started using cigarettes or marijuana at age 13 or younger—2010 to 2021

	Early ATOD Use													
	Cigarettes							Marijuana						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	15.9	13.7	10.7	8.6	6.9	5.6	4.8	8.5	9.5	9.1	9.0	8.0	7.6	6.7
Male	18.3	15.3	13.1	9.8	7.9	6.2	5.1	13.9	13.8	13.6	12.0	10.6	8.8	7.8
<b>Race/Ethnic group</b>														
African American	12.9	10.1	7.4	6.5	5.2	4.0	4.1	10.1	10.3	10.2	10.0	9.5	7.6	6.0
Hispanic/Latino	16.7	13.4	10.5	8.0	6.7	4.5	3.6	10.8	10.8	10.8	10.3	8.9	6.9	6.0
White, non-Hispanic	18.7	16.2	14.1	10.6	8.7	7.5	6.1	11.9	12.0	11.8	10.6	9.2	8.6	8.0
<b>Age</b>														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	16.3	14.6	12.6	9.5	6.3	6.3	7.4	12.7	12.1	12.8	11.3	11.0	10.3	8.3
15	18.0	14.5	12.1	9.3	7.5	6.0	6.5	12.2	12.5	12.1	11.1	9.3	8.6	7.8
16	17.5	13.6	11.1	9.3	7.3	5.9	5.6	11.7	11.3	11.0	11.2	9.8	7.9	8.9
17	16.8	15.3	12.5	9.5	7.9	5.6	3.4	10.3	11.4	11.3	10.2	8.2	7.1	5.4
18	15.2	14.3	11.3	8.4	6.6	5.4	1.3	9.6	10.7	9.5	8.7	8.8	7.9	5.1
<b>Grade</b>														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	18.9	15.7	13.2	9.9	7.0	6.5	6.8	13.7	13.4	12.6	11.9	9.9	9.7	7.9
10th	17.6	13.5	11.6	9.2	8.1	6.0	5.6	11.7	11.7	12.0	11.0	10.1	7.8	9.0
11th	16.4	14.2	11.0	9.6	7.0	5.4	5.3	9.8	11.0	10.3	10.2	8.6	7.9	6.9
12th	15.0	14.4	11.8	8.3	7.5	5.6	1.6	9.4	10.3	10.2	9.0	8.6	7.2	4.6
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	17.1	14.5	11.9	9.3	7.4	5.9	4.9	11.3	11.7	11.4	10.6	9.3	8.2	7.2
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 37. Percentage of surveyed Florida high school youth who started vaping nicotine or vaping marijuana at age 13 or younger, 2019 to 2021

	Early ATOD Use												
	Vaping Nicotine						Vaping Marijuana						
				2019 %	2020 %	2021 %					2019 %	2020 %	2021 %
<b>Sex</b>													
Female				5.0	5.9	8.5					2.6	3.1	4.2
Male				5.4	6.2	6.1					3.0	3.2	3.6
<b>Race/Ethnic group</b>													
African American				2.8	3.4	3.2					1.8	2.2	2.1
Hispanic/Latino				5.4	4.8	6.9					2.9	2.8	3.9
White, non-Hispanic				6.6	7.6	9.0					3.5	3.4	4.2
<b>Age</b>													
11				--	--	--					--	--	--
12				--	--	--					--	--	--
13				--	--	--					--	--	--
14				12.4	14.4	14.8					5.1	6.7	6.7
15				7.1	8.6	11.5					3.7	4.1	5.5
16				3.8	4.8	7.5					2.5	2.8	4.5
17				3.6	2.8	3.0					1.8	1.7	1.8
18				2.1	2.6	0.8					1.7	1.6	1.2
<b>Grade</b>													
6th				--	--	--					--	--	--
7th				--	--	--					--	--	--
8th				--	--	--					--	--	--
9th				9.7	11.0	12.1					4.6	5.5	5.6
10th				4.3	6.6	9.8					2.5	3.1	5.4
11th				4.0	3.2	4.4					2.4	2.1	2.5
12th				2.4	2.9	2.0					1.5	1.6	1.5
<b>Middle School</b>				--	--	--					--	--	--
<b>High School</b>				5.2	6.0	7.3					2.8	3.1	3.8
<b>Total</b>				--	--	--					--	--	--

**Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2010 to 2021**

	Perceive Great Risk Of Harm If:													
	Drink One Or More Alcoholic Drinks Nearly Every Day							Smoke A Pack Or More Of Cigarettes Per Day						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	46.9	46.0	45.4	46.4	49.1	48.4	44.3	69.2	69.7	69.5	68.4	67.6	67.3	65.6
Male	38.4	37.4	39.7	39.3	42.8	43.1	41.7	64.0	67.0	68.9	68.5	66.6	64.5	65.1
<b>Race/Ethnic group</b>														
African American	44.7	43.0	43.9	44.0	46.3	44.5	42.7	63.4	62.5	64.6	64.1	62.1	58.9	56.3
Hispanic/Latino	43.6	43.7	44.9	44.7	47.8	47.6	42.5	63.5	66.4	67.6	65.7	65.7	64.6	62.7
White, non-Hispanic	39.8	38.5	39.6	40.3	43.9	44.7	42.9	69.1	70.8	71.5	71.2	70.1	69.8	71.0
<b>Age</b>														
11	54.1	50.1	53.8	51.2	56.6	55.7	47.1	72.9	70.9	74.0	71.6	71.3	67.6	66.1
12	45.9	47.8	47.2	47.4	51.7	51.3	49.0	68.5	69.1	69.1	69.0	67.4	66.8	63.1
13	42.4	44.8	44.8	44.7	47.8	48.7	42.7	66.3	68.5	67.1	67.6	66.5	65.9	64.3
14	41.6	39.9	41.2	43.7	43.5	42.3	41.1	66.5	66.7	68.5	68.4	66.3	63.6	65.3
15	42.0	38.3	40.7	41.2	45.1	44.2	39.0	66.6	67.8	69.4	67.0	66.4	66.4	64.2
16	41.8	39.1	39.7	40.1	42.5	43.7	40.7	66.5	69.2	69.7	68.8	67.0	67.3	64.7
17	41.1	39.1	39.2	38.7	43.3	43.3	42.4	66.1	68.4	70.2	69.0	68.2	65.8	67.1
18	40.9	37.5	39.9	40.4	41.7	40.4	46.1	63.7	67.3	70.0	69.3	65.3	65.9	70.3
<b>Grade</b>														
6th	46.2	47.4	48.6	48.1	52.8	51.1	49.1	67.1	66.9	68.6	67.8	66.8	64.7	64.0
7th	43.1	44.7	45.2	44.7	48.6	50.2	43.0	65.6	68.3	66.8	66.7	66.4	65.5	63.2
8th	40.5	43.6	43.3	44.1	46.5	46.0	42.6	67.0	67.8	68.6	69.0	67.3	65.9	64.9
9th	42.3	36.7	40.7	42.3	42.4	41.8	40.7	65.9	66.4	69.2	67.0	65.1	63.9	64.0
10th	42.1	40.5	39.8	41.0	43.9	45.2	39.0	67.3	69.7	69.9	68.5	66.6	67.7	65.3
11th	42.0	38.4	40.0	39.4	44.4	43.5	40.0	67.5	69.5	70.2	69.3	68.7	66.7	64.0
12th	41.7	39.8	39.5	39.9	42.3	42.0	47.7	65.1	69.6	70.5	70.6	68.2	67.0	72.2
<b>Middle School</b>	43.2	45.2	45.7	45.7	49.3	49.1	44.9	66.6	67.6	68.0	67.9	66.8	65.4	64.1
<b>High School</b>	42.1	38.8	40.0	40.7	43.3	43.1	41.8	66.5	68.7	70.0	68.8	67.1	66.3	66.3
<b>Total</b>	<b>42.6</b>	<b>41.6</b>	<b>42.5</b>	<b>42.8</b>	<b>45.9</b>	<b>45.7</b>	<b>43.1</b>	<b>66.5</b>	<b>68.3</b>	<b>69.1</b>	<b>68.4</b>	<b>67.0</b>	<b>65.9</b>	<b>65.3</b>

**Table 39. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2010 to 2021**

	Smoke Marijuana Once or Twice a Week							Try Marijuana Once Or Twice						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	59.0	55.4	39.2	37.5	35.2	34.1	31.1	30.8	29.1	25.5	24.8	22.8	22.7	20.2
Male	49.4	46.5	36.3	35.2	33.7	32.8	30.9	27.2	26.0	25.3	25.0	23.6	23.6	22.2
<b>Race/Ethnic group</b>														
African American	50.9	46.3	32.5	31.4	29.8	28.2	27.4	30.2	27.1	24.7	23.8	23.2	22.2	22.4
Hispanic/Latino	55.8	51.8	38.5	36.2	34.9	35.6	32.9	31.4	29.8	28.1	26.7	25.0	26.1	24.4
White, non-Hispanic	53.4	51.7	38.7	38.6	35.9	34.9	32.4	25.9	25.4	23.6	24.3	21.8	21.9	19.3
<b>Age</b>														
11	80.3	75.7	70.0	65.1	62.5	57.3	51.1	51.5	46.5	51.7	47.7	44.3	41.2	32.6
12	73.8	72.1	60.9	58.8	56.1	52.9	47.4	44.6	43.0	43.0	41.0	38.0	36.3	31.9
13	66.7	65.2	50.9	48.4	44.9	44.3	40.7	37.8	36.5	33.7	33.5	29.3	29.8	27.0
14	57.9	53.6	37.5	38.3	34.6	32.5	31.9	30.5	28.2	24.1	25.3	22.5	22.0	22.5
15	50.3	43.5	30.1	29.0	28.0	26.8	24.5	24.3	21.5	18.4	19.6	17.9	18.4	16.2
16	44.0	38.3	24.6	24.3	21.6	21.5	20.5	20.0	19.0	15.8	16.4	15.0	14.6	14.8
17	39.5	33.7	20.2	19.5	19.7	21.3	19.5	19.8	17.0	13.6	12.9	14.1	15.3	14.5
18	38.7	35.1	21.0	21.4	19.1	17.7	20.3	19.5	16.7	14.8	13.9	13.4	13.1	15.3
<b>Grade</b>														
6th	72.7	70.6	62.8	61.0	57.9	53.4	49.3	46.2	43.7	46.3	44.6	41.2	38.1	33.8
7th	67.5	67.0	53.9	51.5	50.0	47.6	41.9	39.0	38.4	36.5	35.6	32.6	32.6	27.2
8th	60.1	59.3	44.5	42.8	39.4	39.5	37.5	32.1	33.0	28.7	28.4	25.5	26.1	25.6
9th	51.2	46.0	31.4	32.4	29.5	27.5	26.7	24.6	22.2	19.9	21.7	19.2	19.1	18.4
10th	45.3	42.0	26.6	26.1	24.2	24.1	20.6	20.7	20.8	16.3	17.5	16.3	16.3	15.1
11th	40.6	35.5	22.9	21.1	20.8	20.6	21.2	19.4	17.9	15.3	14.2	14.3	14.3	14.7
12th	39.2	33.5	19.3	20.0	18.6	19.0	19.1	19.6	15.9	13.1	13.0	13.1	13.9	14.4
<b>Middle School</b>	66.7	65.6	53.8	51.7	49.1	46.8	42.8	39.1	38.4	37.1	36.1	33.2	32.3	28.8
<b>High School</b>	44.5	39.6	25.4	25.2	23.3	22.9	22.0	21.2	19.4	16.3	16.8	15.8	16.0	15.7
<b>Total</b>	<b>54.1</b>	<b>50.9</b>	<b>37.7</b>	<b>36.3</b>	<b>34.4</b>	<b>33.4</b>	<b>31.1</b>	<b>28.9</b>	<b>27.6</b>	<b>25.3</b>	<b>24.9</b>	<b>23.2</b>	<b>23.1</b>	<b>21.4</b>

Note: In 2014, the description of marijuana use was changed from “regularly” to “once or twice a week.” As a result, care should be exercised when comparing 2014-2020 data to previous years.

**Table 40. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor’s orders or having five or more alcoholic drinks once or twice a week—2012 to 2021**

	Perceive Great Risk Of Harm If:													
	Take a Prescription Drug without a Doctor’s Orders							Five or More Alcoholic Drinks Once or Twice a Week						
		2012 %	2014 %	2016 %	2018 %	2020 %	2021 %			2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female		71.9	72.3	70.0	69.5	69.4	69.0			57.7	58.4	61.3	60.4	56.5
Male		65.5	70.3	67.3	65.9	65.8	66.3			51.7	51.2	54.9	54.1	53.5
<b>Race/Ethnic group</b>														
African American		67.4	66.0	63.3	61.7	60.8	60.6			55.4	55.4	56.4	55.0	53.4
Hispanic/Latino		67.3	69.3	67.2	66.7	66.4	65.6			54.1	53.5	57.9	56.3	54.0
White, non-Hispanic		69.7	74.2	71.5	70.8	71.5	72.5			53.6	54.1	58.4	57.9	56.1
<b>Age</b>														
11		--	76.0	72.8	74.1	72.3	66.1			66.8	63.4	68.3	65.6	61.9
12		--	72.6	69.0	69.2	69.4	66.9			60.8	60.0	64.7	63.6	60.5
13		--	70.7	69.0	66.9	68.4	67.7			57.6	57.7	60.8	60.8	57.9
14		70.3	71.4	69.0	66.2	66.6	67.0			55.3	55.8	57.7	55.7	54.2
15		69.5	71.1	67.9	66.0	66.3	68.1			52.9	52.5	56.7	56.2	51.5
16		68.2	70.2	67.7	66.5	67.4	67.7			51.9	52.5	53.7	54.4	50.8
17		68.4	70.6	68.0	68.6	67.1	66.0			49.5	50.4	55.3	53.1	53.1
18		66.6	69.8	68.1	68.2	65.4	71.7			46.9	49.7	51.9	50.4	54.7
<b>Grade</b>														
6th		--	71.9	68.9	70.0	68.9	67.5			61.1	59.6	64.4	61.8	60.2
7th		--	70.4	68.3	67.4	69.1	65.3			57.6	57.8	61.8	62.3	58.1
8th		--	72.7	70.0	67.1	67.7	68.3			57.5	56.6	60.1	59.2	56.5
9th		67.7	71.2	68.2	65.4	66.3	67.5			53.5	53.9	55.5	55.4	53.5
10th		69.8	70.5	67.8	66.5	66.7	66.2			52.8	52.4	55.7	54.8	51.3
11th		68.2	71.2	68.2	68.0	67.1	67.7			51.0	51.6	55.3	54.4	50.4
12th		68.6	70.0	68.3	68.7	67.1	71.0			47.7	51.0	53.3	51.9	55.7
<b>Middle School</b>		--	71.7	69.1	68.2	68.5	67.0			58.8	58.1	62.1	61.1	58.2
<b>High School</b>		68.6	70.8	68.2	67.1	66.8	68.1			51.4	52.3	55.0	54.2	52.7
<b>Total</b>		--	<b>71.2</b>	<b>68.5</b>	<b>67.6</b>	<b>67.6</b>	<b>67.6</b>			<b>54.6</b>	<b>54.7</b>	<b>58.0</b>	<b>57.2</b>	<b>55.1</b>

Table 41. Percentage of surveyed Florida youth who perceive great risk of harm in vaping nicotine or vaping marijuana, 2019 to 2021

	Perceive Great Risk Of Harm If:											
	Vaping Nicotine			Vaping Marijuana			Vaping Nicotine			Vaping Marijuana		
				2019 %	2020 %	2021 %				2019 %	2020 %	2021 %
<b>Sex</b>												
Female				38.5	46.7	41.3				36.9	44.1	39.6
Male				36.5	43.1	43.0				36.1	41.5	40.4
<b>Race/Ethnic group</b>												
African American				37.7	47.3	43.9				34.2	42.0	40.2
Hispanic/Latino				40.1	44.9	39.4				39.0	43.6	39.4
White, non-Hispanic				36.0	43.6	43.1				36.5	42.9	41.1
<b>Age</b>												
11				56.2	60.1	56.9				63.7	64.3	61.2
12				46.8	54.2	51.3				51.6	57.2	55.4
13				41.1	48.1	44.7				44.1	50.1	46.5
14				36.0	41.6	39.1				37.0	40.2	38.3
15				32.2	41.6	37.2				29.3	38.2	33.8
16				31.0	39.6	36.5				25.3	34.6	31.2
17				34.7	40.9	38.2				28.1	33.6	31.1
18				32.5	39.0	42.3				25.1	32.3	32.3
<b>Grade</b>												
6th				51.3	55.2	54.9				57.6	58.9	57.4
7th				40.2	51.0	46.6				44.2	53.6	49.5
8th				40.1	45.2	41.9				41.8	45.5	43.1
9th				33.4	40.9	37.7				32.1	37.5	36.1
10th				31.5	40.3	34.9				26.5	36.3	30.1
11th				31.7	41.0	37.9				25.3	34.2	31.8
12th				34.2	39.5	41.9				27.3	32.2	32.0
<b>Middle School</b>				43.9	50.4	47.7				47.9	52.6	49.9
<b>High School</b>				32.7	40.5	38.0				27.9	35.1	32.5
<b>Total</b>				<b>37.5</b>	<b>44.8</b>	<b>42.2</b>				<b>36.5</b>	<b>42.8</b>	<b>40.1</b>

Table 42. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2010 to 2021

	Think It Would Be Wrong For Someone Their Age To:													
	Drink Alcohol Regularly							Smoke Cigarettes						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	67.1	70.5	72.7	74.1	75.9	77.4	75.7	82.1	86.1	88.7	91.1	92.6	93.8	92.0
Male	66.4	70.3	73.8	75.2	76.7	79.2	80.2	80.9	85.1	88.5	91.0	92.1	93.3	92.8
<b>Race/Ethnic group</b>														
African American	71.7	75.8	77.9	78.8	79.1	83.1	84.3	87.6	91.0	92.6	93.7	94.5	95.4	95.4
Hispanic/Latino	66.6	70.8	72.6	74.8	76.6	79.5	79.7	83.5	87.9	89.8	91.4	92.9	94.3	92.3
White, non-Hispanic	63.4	67.5	70.1	72.2	74.5	75.2	73.4	76.8	82.0	85.7	89.5	90.9	92.0	90.6
<b>Age</b>														
11	93.8	94.1	96.3	96.4	94.4	94.4	93.9	97.3	97.7	98.3	98.4	98.1	97.9	96.9
12	89.4	92.1	92.8	92.9	92.5	91.8	90.9	94.6	96.1	96.7	97.1	96.9	97.5	97.5
13	80.4	84.4	87.1	87.2	86.2	87.5	86.2	89.3	93.2	94.1	95.1	95.0	95.1	93.7
14	71.0	74.8	78.1	79.8	79.9	80.9	79.0	85.6	89.1	91.8	92.9	93.7	94.4	93.6
15	62.3	64.8	69.2	71.8	74.3	75.8	75.9	81.0	85.1	88.6	91.1	91.9	93.4	91.2
16	55.3	58.6	61.6	65.5	67.6	70.8	71.7	77.4	81.8	85.7	89.3	91.5	92.5	90.5
17	50.7	51.3	54.7	56.8	60.9	65.1	65.7	72.3	74.6	80.3	86.0	88.8	90.9	89.8
18	49.7	49.2	50.1	53.6	58.5	62.0	66.4	62.2	67.2	72.4	78.3	81.6	85.8	85.7
<b>Grade</b>														
6th	90.6	93.2	94.3	94.5	93.5	92.9	93.0	94.8	96.8	97.0	97.7	97.2	97.5	97.6
7th	80.3	86.8	88.9	89.3	88.6	89.2	87.9	89.1	94.0	94.7	95.7	95.7	96.1	94.8
8th	73.4	78.0	81.3	82.7	82.9	84.1	82.3	86.3	89.9	92.2	93.3	93.9	94.6	94.0
9th	62.9	66.5	72.1	74.4	76.4	77.9	77.0	82.0	85.9	89.7	91.1	93.2	93.6	92.4
10th	55.9	61.5	63.9	68.2	70.6	72.2	74.3	77.7	83.2	87.0	90.3	91.5	93.5	90.6
11th	52.4	54.2	58.5	60.2	63.4	68.4	66.7	73.2	77.9	82.8	87.2	89.9	91.2	89.1
12th	49.1	49.2	49.8	53.3	57.9	61.6	64.0	65.1	69.2	74.4	81.5	84.3	87.7	87.7
<b>Middle School</b>	81.4	86.1	88.2	88.8	88.4	88.7	87.7	90.1	93.6	94.7	95.6	95.6	96.1	95.4
<b>High School</b>	55.5	58.3	61.7	64.5	67.2	70.3	70.7	75.0	79.5	83.9	87.7	89.8	91.6	90.0
<b>Total</b>	<b>66.7</b>	<b>70.4</b>	<b>73.2</b>	<b>74.7</b>	<b>76.3</b>	<b>78.3</b>	<b>78.1</b>	<b>81.5</b>	<b>85.6</b>	<b>88.6</b>	<b>91.0</b>	<b>92.3</b>	<b>93.5</b>	<b>92.4</b>

**Table 43. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2010 to 2021**

	Think It Would Be Wrong For Someone Their Age To:													
	Smoke Marijuana							Use Other Illicit Drugs						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female	79.4	78.9	75.2	74.4	72.9	73.9	75.1	95.4	96.0	95.2	95.8	96.2	95.9	95.6
Male	74.2	74.3	72.8	73.3	72.8	75.4	76.6	93.4	94.4	94.5	94.7	95.1	94.6	95.5
<b>Race/Ethnic group</b>														
African American	78.4	77.1	74.0	73.7	72.9	73.6	77.1	95.9	96.1	96.1	96.1	96.5	96.0	97.3
Hispanic/Latino	79.5	79.8	75.6	75.8	74.8	78.6	80.6	93.9	94.9	94.4	94.5	95.5	95.4	95.5
White, non-Hispanic	73.9	74.6	72.4	73.1	71.8	73.2	73.2	94.1	95.0	94.5	95.1	95.5	95.0	95.0
<b>Age</b>														
11	98.4	98.0	98.2	98.0	96.9	97.0	95.6	99.3	98.9	99.4	99.3	99.0	98.5	98.1
12	95.2	95.6	94.8	94.8	93.9	93.8	95.3	97.6	98.3	98.5	98.3	98.2	98.5	98.8
13	88.4	89.3	88.4	88.4	86.3	87.2	87.9	96.2	96.9	97.0	97.2	96.8	97.0	97.6
14	80.4	80.4	78.0	78.2	76.0	78.5	79.7	94.7	95.7	95.6	96.0	95.9	96.2	96.1
15	72.2	71.3	68.9	68.7	68.0	70.2	74.3	93.5	94.4	94.4	94.7	95.5	94.8	95.0
16	67.5	65.7	60.9	62.4	60.1	62.6	63.7	92.8	93.3	93.0	93.2	94.6	93.5	94.5
17	64.4	60.4	55.4	55.3	55.0	57.5	57.4	92.4	93.0	91.2	92.8	93.5	92.5	93.6
18	62.9	58.2	53.4	54.2	52.2	52.7	57.7	92.5	92.3	90.4	92.2	92.6	90.9	90.6
<b>Grade</b>														
6th	95.6	96.8	96.4	96.3	95.1	95.5	95.3	97.9	98.6	98.8	98.7	98.4	98.6	98.5
7th	88.6	90.9	90.2	90.8	89.3	90.0	91.3	96.0	97.2	97.1	97.7	97.3	97.5	97.6
8th	81.2	83.2	81.5	82.1	80.9	82.6	83.6	94.8	95.6	96.1	95.9	96.2	96.4	96.8
9th	73.4	73.4	72.2	71.6	71.4	73.0	76.1	93.6	95.1	95.1	95.2	96.0	95.7	96.4
10th	67.8	68.3	63.9	64.5	63.0	65.7	67.4	93.2	93.4	93.1	94.0	94.9	93.8	93.7
11th	65.5	62.4	58.4	58.1	56.9	59.5	59.8	92.6	93.7	92.3	92.4	93.9	93.1	93.6
12th	63.4	58.4	52.0	53.6	51.7	53.4	56.4	92.4	92.1	90.4	92.5	92.3	91.3	92.2
<b>Middle School</b>	88.5	90.3	89.4	89.7	88.5	89.4	90.0	96.2	97.1	97.4	97.5	97.3	97.5	97.6
<b>High School</b>	67.8	66.1	62.2	62.3	60.9	63.2	65.2	93.0	93.6	92.9	93.6	94.3	93.5	94.1
<b>Total</b>	<b>76.8</b>	<b>76.6</b>	<b>74.0</b>	<b>73.8</b>	<b>72.8</b>	<b>74.6</b>	<b>76.0</b>	<b>94.4</b>	<b>95.2</b>	<b>94.8</b>	<b>95.2</b>	<b>95.6</b>	<b>95.3</b>	<b>95.6</b>

**Table 44. Percentage of surveyed Florida youth who think it would be wrong for someone their age to vape nicotine or vape marijuana, 2019 to 2021**

	Think It Would Be Wrong For Someone Their Age To:											
	Vape Nicotine			Vape Marijuana								
				2019 %	2020 %	2021 %				2019 %	2020 %	2021 %
<b>Sex</b>												
Female				81.2	83.7	80.2				79.5	81.7	79.8
Male				80.6	85.0	84.9				80.0	82.8	82.4
<b>Race/Ethnic group</b>												
African American				87.1	89.5	89.0				83.6	85.7	86.1
Hispanic/Latino				83.8	86.8	82.8				82.2	84.8	83.6
White, non-Hispanic				76.4	80.7	79.1				77.2	79.6	77.5
<b>Age</b>												
11				95.4	96.0	95.6				97.3	97.2	96.1
12				91.1	93.2	92.1				94.0	95.1	95.2
13				86.8	88.1	85.9				90.4	89.9	89.2
14				81.5	84.8	81.7				82.6	84.3	83.4
15				77.4	82.4	81.4				75.6	79.6	80.7
16				75.9	80.2	78.2				71.3	74.2	72.5
17				74.4	78.8	76.3				68.6	72.0	68.8
18				69.4	73.2	74.7				62.5	67.2	66.4
<b>Grade</b>												
6th				94.1	94.5	94.4				95.9	96.1	95.9
7th				88.1	90.0	88.0				91.5	91.9	92.0
8th				83.9	86.1	83.0				87.4	86.9	85.8
9th				78.7	83.6	82.4				77.6	82.0	82.1
10th				76.0	80.7	79.0				73.1	75.6	74.4
11th				75.1	79.6	76.4				68.0	73.1	70.9
12th				70.3	75.1	75.0				64.3	68.4	66.3
<b>Middle School</b>				88.7	90.2	88.4				91.6	91.6	91.2
<b>High School</b>				75.1	79.9	78.3				70.9	75.0	73.7
<b>Total</b>				<b>81.0</b>	<b>84.4</b>	<b>82.7</b>				<b>79.8</b>	<b>82.2</b>	<b>81.2</b>

**Table 45. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco or drink alcohol regularly—2014 to 2021**

	Friends Feel It Would Be Wrong For You To:												
	Smoke Tobacco					Drink Alcohol Regularly							
		2014 %	2016 %	2018 %	2020 %	2021 %			2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>													
Female		89.4	91.1	92.1	92.1	90.7			84.0	85.6	87.1	87.6	86.8
Male		86.7	89.5	90.2	90.6	91.2			81.0	82.9	83.7	85.7	86.5
<b>Race/Ethnic group</b>													
African American		92.8	93.1	93.8	93.5	92.9			85.9	86.5	87.8	88.9	88.2
Hispanic/Latino		89.4	91.5	92.1	93.0	91.9			81.9	84.4	85.3	86.5	87.4
White, non-Hispanic		85.0	88.3	89.2	89.3	89.4			80.7	82.8	84.2	85.4	85.9
<b>Age</b>													
11		98.1	98.0	97.6	97.1	96.3			96.6	96.9	95.7	95.4	92.5
12		95.7	96.4	96.0	96.2	96.3			93.8	94.5	93.7	94.1	93.9
13		94.4	94.0	93.0	93.3	92.2			89.9	89.9	89.4	89.7	89.2
14		89.8	91.8	91.7	91.6	91.4			83.1	85.6	85.0	87.2	86.3
15		87.7	90.3	91.0	90.8	90.4			79.1	81.5	83.7	83.9	85.0
16		84.5	87.6	89.4	89.1	87.8			76.6	79.0	80.7	82.8	82.0
17		79.7	85.2	87.4	87.5	89.0			73.6	76.6	79.6	81.4	83.1
18		75.2	80.4	83.9	84.8	85.3			71.7	74.8	78.9	80.2	83.4
<b>Grade</b>													
6th		96.7	97.1	96.9	96.5	96.6			94.8	95.4	94.8	94.5	93.8
7th		93.8	94.7	94.4	94.3	94.4			90.6	91.4	90.7	91.2	91.2
8th		91.8	92.5	91.8	92.4	91.4			85.3	87.1	87.0	88.2	87.8
9th		87.6	90.7	91.1	90.8	90.3			80.4	83.0	84.1	85.5	85.4
10th		86.3	88.3	90.4	90.0	88.0			77.2	80.0	81.3	82.9	82.0
11th		81.9	86.0	88.7	88.8	88.3			75.0	78.1	80.1	82.6	82.0
12th		76.0	82.2	84.3	85.2	87.0			72.5	74.1	79.0	80.1	83.8
<b>Middle School</b>		94.2	94.8	94.4	94.4	94.1			90.3	91.3	90.9	91.3	90.9
<b>High School</b>		83.3	87.0	88.7	88.8	88.5			76.5	79.0	81.2	82.8	83.3
<b>Total</b>		<b>88.0</b>	<b>90.3</b>	<b>91.1</b>	<b>91.3</b>	<b>90.9</b>			<b>82.5</b>	<b>84.2</b>	<b>85.3</b>	<b>86.6</b>	<b>86.6</b>

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

**Table 46. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke marijuana or use prescription drugs not prescribed to you—2014 to 2021**

	Friends Feel It Would Be Wrong For You To:													
	Smoke Marijuana					Use Rx Drugs Not Prescribed to You								
			2014 %	2016 %	2018 %	2020 %	2021 %			2014 %	2016 %	2018 %	2020 %	2021 %
<b>Sex</b>														
Female			72.8	72.6	71.5	73.0	74.4			93.8	93.4	94.1	93.7	93.6
Male			70.2	71.3	70.6	73.6	76.5			92.6	92.2	92.3	92.6	94.3
<b>Race/Ethnic group</b>														
African American			71.6	72.3	71.8	72.9	75.4			94.0	93.3	93.4	93.5	93.8
Hispanic/Latino			72.1	74.0	72.6	76.6	80.4			92.6	91.9	93.3	93.4	94.3
White, non-Hispanic			70.6	71.2	69.7	71.9	73.6			93.1	93.1	93.2	93.2	94.2
<b>Age</b>														
11			97.8	97.7	96.8	95.9	96.0			98.5	98.0	97.1	96.8	95.7
12			93.8	94.2	93.3	93.1	94.0			97.2	96.7	96.4	96.8	97.5
13			87.5	86.3	83.9	85.5	86.7			96.1	95.4	94.4	94.1	94.9
14			73.3	75.8	72.4	76.3	78.2			93.3	93.7	92.4	93.3	93.6
15			65.2	66.5	66.2	67.9	72.2			92.0	91.6	92.2	91.7	93.2
16			58.0	59.0	58.4	60.1	62.6			91.1	89.4	91.8	91.4	92.0
17			52.9	53.4	53.1	56.2	59.9			89.8	90.0	91.7	90.9	93.1
18			51.6	52.9	52.0	54.7	58.8			88.5	90.4	91.3	91.1	90.6
<b>Grade</b>														
6th			95.7	96.1	95.2	94.6	95.4			97.6	97.4	97.0	96.8	96.6
7th			89.0	89.3	88.1	88.6	89.8			96.1	95.9	95.0	95.1	96.6
8th			78.8	80.3	77.5	80.4	83.2			94.4	94.0	93.1	93.7	93.6
9th			67.4	68.7	68.6	71.5	73.1			92.2	92.4	92.8	92.4	93.3
10th			61.1	61.7	61.5	62.9	65.3			92.0	90.7	91.6	91.6	92.9
11th			54.9	55.8	55.1	57.1	60.3			90.1	89.6	91.5	91.0	91.5
12th			50.6	51.9	50.4	54.6	59.2			89.0	89.3	91.1	90.8	92.3
<b>Middle School</b>			87.9	88.6	87.0	87.9	89.4			96.1	95.7	95.0	95.2	95.6
<b>High School</b>			59.0	59.9	59.1	61.8	64.7			90.9	90.6	91.8	91.5	92.5
<b>Total</b>			<b>71.5</b>	<b>72.0</b>	<b>71.0</b>	<b>73.3</b>	<b>75.5</b>			<b>93.1</b>	<b>92.7</b>	<b>93.2</b>	<b>93.1</b>	<b>93.9</b>

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

**Table 47. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to vape nicotine or vape marijuana, 2019 to 2021**

	Friends Feel It Would Be Wrong For You To:												
	Vape Nicotine						Vape Marijuana						
				2019 %	2020 %	2021 %					2019 %	2020 %	2021 %
<b>Sex</b>													
Female				75.8	78.3	75.3					76.0	78.9	77.5
Male				75.5	80.3	81.0					77.1	79.5	81.0
<b>Race/Ethnic group</b>													
African American				86.0	87.7	84.2					82.6	84.5	83.5
Hispanic/Latino				78.9	81.4	79.7					78.1	80.9	81.4
White, non-Hispanic				68.8	74.3	75.2					73.2	76.1	76.6
<b>Age</b>													
11				94.5	95.3	94.0					96.2	96.5	96.1
12				88.0	91.4	90.3					91.8	93.8	93.7
13				83.4	84.8	82.8					86.7	87.7	86.8
14				74.5	79.8	77.1					78.8	81.4	81.2
15				70.5	75.6	76.8					72.1	75.4	77.5
16				67.9	72.7	70.6					65.6	69.7	69.8
17				68.3	69.8	70.5					66.0	66.3	68.1
18				65.2	69.0	70.0					61.8	66.0	64.3
<b>Grade</b>													
6th				92.3	93.6	92.9					95.0	95.2	95.1
7th				85.0	87.6	85.7					88.4	90.4	90.1
8th				77.7	82.3	79.7					81.2	84.4	83.8
9th				72.1	77.0	75.5					74.8	78.2	78.7
10th				68.2	73.7	73.7					67.8	71.4	72.6
11th				68.6	71.3	70.7					65.3	67.6	68.1
12th				64.6	68.2	69.3					62.5	65.0	65.2
<b>Middle School</b>				85.1	87.8	86.0					88.2	90.0	89.6
<b>High School</b>				68.4	72.7	72.4					67.7	70.7	71.3
<b>Total</b>				<b>75.7</b>	<b>79.3</b>	<b>78.3</b>					<b>76.6</b>	<b>79.2</b>	<b>79.3</b>

**Table 48. Percentage of surveyed Florida youth who think it would be wrong for their parents to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, among middle school youth, 2021**

	Think It Would Be Wrong For Their Parents To:			
	Drink Alcohol Regularly	Smoke Cigarettes	Smoke Marijuana	Use Prescription Drugs Not Prescribed to Them
	%	%	%	%
<b>Sex</b>				
Female	73.6	84.3	85.4	96.1
Male	77.2	87.3	89.1	97.1
<b>Race/Ethnic group</b>				
African American	83.1	91.6	86.4	95.9
Hispanic/Latino	80.8	87.6	89.4	96.4
White, non-Hispanic	68.8	82.0	86.3	96.9
<b>Age</b>				
11	81.4	88.7	93.6	96.9
12	77.9	85.3	92.0	96.8
13	74.4	85.6	84.7	96.7
14	69.7	84.6	80.5	96.0
15	--	--	--	--
16	--	--	--	--
17	--	--	--	--
18	--	--	--	--
<b>Grade</b>				
6th	82.1	89.1	92.7	97.2
7th	74.4	84.2	88.8	96.4
8th	70.6	84.1	80.6	96.2
9th	--	--	--	--
10th	--	--	--	--
11th	--	--	--	--
12th	--	--	--	--
<b>Middle School</b>	75.6	85.8	87.3	96.6
<b>High School</b>	--	--	--	--
<b>Total</b>	--	--	--	--

Table 49. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2021

	School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
<b>Sex</b>					
Female	37.4	31.5	9.9	28.6	13.3
Male	41.2	34.6	11.1	17.2	7.8
<b>Race/Ethnic group</b>					
African American	50.3	35.5	9.7	18.3	10.3
Hispanic/Latino	34.0	24.4	10.4	19.8	10.7
White, non-Hispanic	36.4	36.3	11.2	26.1	10.2
<b>Age</b>					
11	33.1	46.3	17.1	20.8	6.1
12	36.0	45.1	14.0	19.0	10.5
13	35.7	44.7	13.3	16.4	8.9
14	41.1	35.8	11.1	17.4	7.8
15	41.9	29.7	8.9	21.6	8.9
16	42.0	24.6	8.1	25.0	11.4
17	42.8	23.0	6.8	31.1	13.5
18	32.9	14.4	8.0	36.4	17.1
<b>Grade</b>					
6th	37.1	45.6	15.3	19.3	7.5
7th	35.8	44.1	13.3	18.1	9.3
8th	37.3	41.6	14.3	16.2	7.6
9th	42.9	30.9	7.3	18.1	9.7
10th	40.5	25.0	8.4	21.5	9.6
11th	45.5	23.3	8.0	31.0	13.8
12th	33.8	18.9	7.6	36.3	16.1
<b>Middle School</b>	36.7	43.8	14.3	17.8	8.1
<b>High School</b>	40.8	24.7	7.8	26.4	12.2
<b>Total</b>	<b>39.0</b>	<b>33.0</b>	<b>10.6</b>	<b>22.7</b>	<b>10.4</b>

Table 50. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2021

	Skipped School Because of Bullying	Was Kicked or Shoved	Was Taunted or Teased	Victim of Cyber Bullying	Physically Bullied Others	Verbally Bullied Others	Cyber Bullied Others
	%	%	%	%	%	%	%
<b>Sex</b>							
Female	12.9	31.7	62.4	39.2	14.5	27.7	14.5
Male	4.7	30.0	50.5	22.0	18.1	31.0	11.4
<b>Race/Ethnic group</b>							
African American	4.9	22.3	45.3	23.1	17.6	30.1	14.5
Hispanic/Latino	6.4	24.2	49.8	26.3	16.5	27.1	11.6
White, non-Hispanic	11.0	37.3	64.0	35.9	14.7	28.5	12.0
<b>Age</b>							
11	7.9	45.3	70.6	30.3	23.8	32.4	14.1
12	7.0	40.9	65.0	28.6	19.6	34.0	11.7
13	10.9	39.9	65.0	32.6	22.7	36.3	15.4
14	9.3	35.4	58.1	32.8	18.8	36.0	14.7
15	9.2	28.6	54.8	32.8	16.2	29.0	14.2
16	9.3	23.1	49.9	30.7	12.2	25.5	13.5
17	7.0	19.3	46.0	26.8	9.8	20.5	9.1
18	8.8	19.5	46.7	26.6	9.9	19.2	9.0
<b>Grade</b>							
6th	7.2	43.5	67.7	29.2	22.6	33.4	12.4
7th	9.5	39.1	61.4	29.3	20.9	35.0	14.1
8th	10.3	37.4	64.8	33.4	21.1	36.1	14.7
9th	8.4	31.4	53.6	32.2	17.2	32.2	15.4
10th	9.9	25.2	52.9	32.7	13.5	27.4	12.6
11th	8.1	21.9	46.1	28.4	11.0	21.8	12.0
12th	7.8	17.3	47.8	27.1	8.0	18.9	8.7
<b>Middle School</b>	9.0	40.0	64.6	30.6	21.5	34.8	13.7
<b>High School</b>	8.6	24.2	50.3	30.2	12.5	25.3	12.3
<b>Total</b>	<b>8.8</b>	<b>31.0</b>	<b>56.5</b>	<b>30.4</b>	<b>16.4</b>	<b>29.4</b>	<b>12.9</b>

Table 51. Usual source of alcohol within the past 30 days among surveyed Florida high school youth who drank, 2021

	Bought in a Store	Bought in a Restaurant, Bar or Club	Bought at a Public Event	Someone Bought it for Me	Someone Gave it to Me	Took it from a Store	Took it from a Family Member	Some Other Way
	%	%	%	%	%	%	%	%
<b>Sex</b>								
Female	7.0	2.9	0.5	11.0	45.5	1.5	16.9	14.6
Male	10.8	2.6	3.3	11.2	33.3	2.2	13.6	22.9
<b>Race/Ethnic group</b>								
African American	8.8	2.7	7.3	9.2	38.0	3.5	15.8	14.7
Hispanic/Latino	5.4	3.3	3.2	8.3	44.1	0.0	15.1	20.6
White, non-Hispanic	9.3	2.0	0.4	13.3	39.5	1.7	16.3	17.4
<b>Age</b>								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	3.1	0.0	2.3	9.9	43.1	0.9	30.4	10.4
15	8.6	3.1	1.7	6.0	36.2	1.5	24.6	18.4
16	5.9	1.8	0.5	12.5	43.6	2.1	15.5	18.1
17	8.4	1.8	0.9	10.5	45.7	2.5	12.4	17.8
18	14.4	2.7	3.4	19.4	32.7	1.2	2.9	23.3
<b>Grade</b>								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	6.0	1.8	1.8	6.3	42.3	0.9	24.7	16.3
10th	7.3	2.1	1.5	9.7	38.8	1.5	18.9	20.3
11th	9.1	2.8	0.9	11.7	40.9	2.8	16.3	15.5
12th	10.8	4.0	2.5	14.5	40.7	1.8	6.1	19.5
<b>Middle School</b>	--	--	--	--	--	--	--	--
<b>High School</b>	8.6	2.8	1.7	11.1	40.6	1.8	15.5	18.0
<b>Total</b>	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 52. Usual drinking location within the past 30 days among surveyed Florida high school youth who drank, 2021

	My Home	Another Person's Home	Car or Other Vehicle	Restaurant, Bar or Club	Public Place	Public Event	School Property	Some Other Place
	%	%	%	%	%	%	%	%
<b>Sex</b>								
Female	41.0	37.9	2.2	3.5	4.5	1.6	0.5	8.8
Male	43.9	27.2	3.0	5.7	5.4	2.4	1.4	11.1
<b>Race/Ethnic group</b>								
African American	50.3	16.7	6.7	0.0	2.6	5.4	0.0	18.4
Hispanic/Latino	37.6	28.0	4.2	5.4	6.3	4.0	0.6	14.0
White, non-Hispanic	41.6	39.3	1.2	4.6	4.1	1.1	1.1	6.9
<b>Age</b>								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	48.7	24.4	5.5	0.0	1.4	0.9	3.0	16.2
15	43.4	30.1	2.2	0.7	5.3	2.3	0.9	15.2
16	40.5	38.1	1.6	1.9	4.2	2.9	0.8	10.1
17	43.5	33.4	3.7	6.3	6.4	0.3	0.9	5.4
18	38.2	39.1	1.5	11.5	2.1	0.0	0.0	7.6
<b>Grade</b>								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	49.7	25.0	2.5	0.8	3.0	2.0	2.1	14.9
10th	42.3	33.1	1.5	1.2	5.5	3.2	0.0	13.2
11th	41.0	37.0	4.7	3.1	4.6	1.5	1.8	6.3
12th	38.4	36.3	1.5	10.8	5.7	1.1	0.0	6.3
<b>Middle School</b>	--	--	--	--	--	--	--	--
<b>High School</b>	42.2	33.5	2.5	4.4	4.8	1.9	0.9	9.7
<b>Total</b>	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 53. Number of drinks consumed, per day, on the days students drank in the past 30 days, among surveyed Florida high school youth who drank, 2021**

	1	2	3	4	5 or More
	%	%	%	%	%
<b>Sex</b>					
Female	32.4	22.6	16.4	12.5	16.1
Male	30.6	20.4	19.2	8.8	20.9
<b>Race/Ethnic group</b>					
African American	45.1	28.1	17.2	3.7	5.9
Hispanic/Latino	37.7	19.4	14.5	6.1	22.3
White, non-Hispanic	26.1	20.6	16.9	15.4	21.0
<b>Age</b>					
11	--	--	--	--	--
12	--	--	--	--	--
13	--	--	--	--	--
14	44.1	23.5	10.7	4.6	17.0
15	33.9	27.9	12.7	10.0	15.6
16	35.5	18.0	18.4	11.8	16.3
17	27.1	22.8	15.8	10.8	23.4
18	24.9	18.6	24.7	15.0	16.8
<b>Grade</b>					
6th	--	--	--	--	--
7th	--	--	--	--	--
8th	--	--	--	--	--
9th	41.7	26.5	10.7	7.6	13.4
10th	30.3	21.6	16.2	11.5	20.4
11th	30.3	22.2	21.5	9.4	16.5
12th	28.6	18.7	19.0	13.7	20.0
<b>Middle School</b>	--	--	--	--	--
<b>High School</b>	31.7	21.7	17.5	11.0	18.1
<b>Total</b>	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 54. Percentage of surveyed Florida high school youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana—2012 to 2021**

	Riding in a Vehicle Driven by Someone Who Had Been:													
	Drinking Alcohol							Using Marijuana						
	2012	2014	2016	2018	2020	2021		2012	2014	2016	2018	2020	2021	
	%	%	%	%	%	%		%	%	%	%	%	%	
<b>Sex</b>														
Female	22.8	20.1	17.5	15.1	16.2	16.3		25.5	24.4	23.7	24.4	24.0	21.2	
Male	19.9	16.2	15.3	13.4	13.3	11.8		25.3	22.7	21.7	21.5	20.2	17.3	
<b>Race/Ethnic group</b>														
African American	18.3	14.8	14.7	12.5	11.6	11.5		27.0	27.1	26.2	25.4	26.7	22.5	
Hispanic/Latino	22.0	19.0	17.2	14.2	15.4	14.1		23.5	20.6	19.9	19.8	18.0	13.8	
White, non-Hispanic	22.2	19.4	16.7	15.0	15.6	15.4		25.0	23.3	21.6	22.5	21.3	19.2	
<b>Age</b>														
11	--	--	--	--	--	--		--	--	--	--	--	--	
12	--	--	--	--	--	--		--	--	--	--	--	--	
13	--	--	--	--	--	--		--	--	--	--	--	--	
14	18.7	16.8	15.6	15.2	14.8	15.4		13.0	14.8	14.3	16.4	16.4	13.7	
15	20.9	17.8	17.1	14.5	15.9	14.6		21.5	19.1	18.9	18.7	18.5	15.8	
16	20.6	17.2	15.2	13.7	14.8	14.2		26.0	23.6	22.6	23.8	22.0	22.1	
17	22.1	19.3	16.7	14.8	13.6	12.6		30.5	28.7	27.2	25.8	25.0	20.4	
18	23.7	18.9	17.0	13.7	14.6	13.3		31.6	28.9	27.9	29.0	28.6	19.7	
<b>Grade</b>														
6th	--	--	--	--	--	--		--	--	--	--	--	--	
7th	--	--	--	--	--	--		--	--	--	--	--	--	
8th	--	--	--	--	--	--		--	--	--	--	--	--	
9th	21.3	18.2	17.2	15.4	15.8	14.4		19.9	17.5	16.9	17.7	17.2	14.4	
10th	20.0	18.0	15.6	14.2	14.8	15.0		22.5	22.7	21.9	22.3	20.4	19.5	
11th	21.3	17.8	16.3	13.9	13.9	14.3		29.5	26.1	24.6	24.2	24.6	22.6	
12th	23.1	18.6	16.3	13.9	14.4	12.1		31.0	29.3	28.1	28.0	26.7	20.2	
<b>Middle School</b>	--	--	--	--	--	--		--	--	--	--	--	--	
<b>High School</b>	21.4	18.1	16.4	14.3	14.7	14.0		25.4	23.5	22.7	22.9	22.1	19.1	
<b>Total</b>	--	--	--	--	--	--		--	--	--	--	--	--	

**Table 55. Percentage of surveyed Florida high school youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana—2012 to 2021**

	Driving a Vehicle After:													
	Drinking Alcohol							Using Marijuana						
	2012 %	2014 %	2016 %	2018 %	2020 %	2021 %		2012 %	2014 %	2016 %	2018 %	2020 %	2021 %	
<b>Sex</b>														
Female	7.4	6.2	5.0	3.8	3.6	3.6	8.8	9.6	9.1	8.7	8.2	7.1		
Male	8.8	6.8	5.8	4.9	4.6	3.3	13.4	12.2	11.4	10.1	9.8	7.5		
<b>Race/Ethnic group</b>														
African American	6.4	4.8	5.0	3.7	3.2	3.1	11.1	10.0	10.3	9.4	9.6	7.4		
Hispanic/Latino	8.0	6.7	5.5	4.1	4.1	2.9	9.4	10.2	9.5	7.7	7.5	6.4		
White, non-Hispanic	8.8	7.4	5.6	4.8	4.4	3.5	11.8	11.4	10.4	10.1	9.3	7.3		
<b>Age</b>														
11	--	--	--	--	--	--	--	--	--	--	--	--		
12	--	--	--	--	--	--	--	--	--	--	--	--		
13	--	--	--	--	--	--	--	--	--	--	--	--		
14	3.1	2.6	1.9	1.5	2.0	2.0	3.0	4.5	4.3	3.0	2.2	3.7		
15	5.1	4.2	3.4	3.1	2.7	2.2	6.5	7.1	6.0	5.3	5.7	3.9		
16	8.1	6.1	5.0	3.8	3.4	3.5	11.8	10.1	9.7	9.7	9.1	7.8		
17	10.4	8.6	7.1	5.9	5.4	4.2	15.0	15.1	13.9	12.5	11.7	10.5		
18	12.8	10.5	8.9	7.2	7.2	4.6	17.0	16.5	16.5	15.8	16.0	8.5		
<b>Grade</b>														
6th	--	--	--	--	--	--	--	--	--	--	--	--		
7th	--	--	--	--	--	--	--	--	--	--	--	--		
8th	--	--	--	--	--	--	--	--	--	--	--	--		
9th	5.2	3.8	3.1	2.5	2.5	2.1	6.2	6.5	5.8	4.6	4.2	3.9		
10th	6.0	5.8	4.5	3.9	2.9	3.3	8.8	9.6	8.5	7.8	7.3	6.1		
11th	9.8	7.3	5.9	4.6	4.4	4.4	14.3	12.5	11.8	11.4	11.5	8.6		
12th	12.4	10.2	8.5	6.8	6.9	4.0	16.5	16.1	15.7	14.5	13.8	10.8		
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--	--	--		
<b>High School</b>	8.1	6.6	5.4	4.4	4.1	3.4	11.2	10.9	10.3	9.5	9.0	7.2		
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--		

**Table 56. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2021**

	<b>Drinking Alcohol</b>	<b>Smoking Marijuana</b>	<b>Using Another Drug</b>
	<b>%</b>	<b>%</b>	<b>%</b>
<b>Sex</b>			
Female	5.5	7.7	2.7
Male	3.4	7.0	2.4
<b>Race/Ethnic group</b>			
African American	3.9	5.6	2.6
Hispanic/Latino	4.6	7.1	2.7
White, non-Hispanic	4.3	7.3	2.0
<b>Age</b>			
11	1.7	0.6	0.9
12	2.1	1.8	1.4
13	4.4	3.0	2.3
14	5.7	6.1	3.6
15	5.8	8.5	3.9
16	4.4	10.7	2.9
17	5.6	13.0	2.2
18	3.0	12.1	1.2
<b>Grade</b>			
6th	1.9	1.2	1.2
7th	3.5	2.2	2.0
8th	5.4	4.9	3.3
9th	5.6	7.2	2.7
10th	4.9	10.1	4.0
11th	5.8	12.9	3.3
12th	3.5	12.6	1.2
<b>Middle School</b>	3.6	2.8	2.2
<b>High School</b>	5.0	10.6	2.8
<b>Total</b>	<b>4.4</b>	<b>7.3</b>	<b>2.6</b>

**Table 57. Percentage of surveyed Florida youth who have talked with a parent or guardian in the past 12 months about the dangers of taking a prescription drug that was not prescribed to you—2018 to 2021**

	Talked with a Parent about Prescription Drug Abuse		
	2018 %	2020 %	2021 %
<b>Sex</b>			
Female	25.2	26.1	23.6
Male	23.7	25.1	23.8
<b>Race/Ethnic group</b>			
African American	20.4	20.4	18.6
Hispanic/Latino	26.2	26.9	23.3
White, non-Hispanic	25.7	27.6	26.4
<b>Age</b>			
11	28.6	27.4	23.9
12	27.0	26.4	24.4
13	25.1	26.3	26.1
14	24.9	27.3	25.1
15	25.2	26.5	23.9
16	24.0	24.9	22.1
17	22.1	22.6	22.0
18	19.9	23.6	18.6
<b>Grade</b>			
6th	27.8	27.7	24.7
7th	24.6	25.1	25.5
8th	25.6	26.7	25.2
9th	25.3	27.5	24.4
10th	25.5	24.9	21.8
11th	22.1	24.7	23.7
12th	20.5	22.4	20.0
<b>Middle School</b>	26.0	26.5	25.1
<b>High School</b>	23.4	24.9	22.5
<b>Total</b>	<b>24.5</b>	<b>25.6</b>	<b>23.6</b>

**Table 58. Percentage of surveyed Florida youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2021**

	Lack of Self-Control					
	Do what brings me pleasure now	More concerned with the short run	Getting in trouble is exciting	Excitement more important than security	People better stay away from me when I'm angry	I get upset when I have a disagreement
	%	%	%	%	%	%
<b>Sex</b>						
Female	37.0	31.2	33.5	29.2	37.4	52.8
Male	30.4	25.6	28.7	27.8	29.0	34.8
<b>Race/Ethnic group</b>						
African American	36.9	33.2	28.6	25.0	41.0	45.2
Hispanic/Latino	34.8	31.5	32.5	31.2	32.5	40.4
White, non-Hispanic	30.2	24.8	31.8	29.7	28.9	43.9
<b>Age</b>						
11	38.9	33.4	25.8	27.6	40.8	55.5
12	32.6	32.8	26.0	26.6	34.1	48.7
13	35.9	33.1	34.8	32.3	37.7	49.5
14	36.7	30.8	33.9	32.1	36.2	51.5
15	29.9	25.9	33.7	29.2	32.9	39.4
16	32.1	26.6	32.4	28.8	31.1	38.6
17	34.0	22.2	29.9	25.1	28.5	36.1
18	31.1	25.3	29.4	24.7	25.7	34.0
<b>Grade</b>						
6th	35.6	34.1	26.2	26.3	36.6	50.1
7th	34.9	31.9	30.9	30.3	38.3	51.9
8th	36.9	33.2	34.7	34.2	38.0	50.5
9th	32.0	27.7	31.5	29.7	32.0	43.0
10th	31.6	27.5	36.5	29.0	30.8	40.1
11th	33.2	23.5	29.5	26.4	30.8	36.3
12th	31.8	21.5	29.2	23.9	25.7	34.3
<b>Middle School</b>	35.8	33.1	30.6	30.3	37.7	50.8
<b>High School</b>	32.1	25.1	31.8	27.3	29.9	38.6
<b>Total</b>	33.7	28.6	31.3	28.6	33.3	43.9

Table 59. Average number of hours of sleep on a school night reported by surveyed Florida youth—2018 to 2021

	Hours of Sleep on a School Night		
	2018	2020	2021
<b>Sex</b>			
Female	6.9	6.8	6.7
Male	7.0	6.9	6.9
<b>Race/Ethnic group</b>			
African American	6.9	6.9	6.7
Hispanic/Latino	6.9	6.8	6.8
White, non-Hispanic	7.0	6.9	6.8
<b>Age</b>			
11	8.2	7.9	7.6
12	7.9	7.7	7.5
13	7.5	7.3	7.1
14	7.0	6.9	6.8
15	6.7	6.6	6.5
16	6.4	6.4	6.4
17	6.3	6.2	6.4
18	6.2	6.2	6.3
<b>Grade</b>			
6th	8.0	7.8	7.6
7th	7.6	7.5	7.3
8th	7.3	7.1	7.0
9th	6.7	6.6	6.6
10th	6.5	6.5	6.4
11th	6.3	6.3	6.3
12th	6.2	6.2	6.4
<b>Middle School</b>	7.6	7.5	7.3
<b>High School</b>	6.4	6.4	6.4
<b>Total</b>	<b>6.9</b>	<b>6.9</b>	<b>6.8</b>

**Table 60. Percentage of surveyed Florida youth who reported symptoms of depression, 2021**

	Sometimes I think that life is not worth it	At times I think I am no good at all	All in all, I am inclined to think that I am a failure	In the past year, depressed or sad on most days
	%	%	%	%
<b>Sex</b>				
Female	43.5	57.1	39.6	60.3
Male	22.7	34.2	22.3	36.8
<b>Race/Ethnic group</b>				
African American	29.5	37.6	24.5	45.2
Hispanic/Latino	32.5	47.1	32.1	51.1
White, non-Hispanic	33.1	47.4	32.2	46.8
<b>Age</b>				
11	31.1	47.1	29.8	45.8
12	30.3	46.0	31.7	45.0
13	37.6	48.5	33.6	49.8
14	35.8	46.6	32.7	50.6
15	34.8	45.9	33.3	51.0
16	32.0	44.2	29.0	49.7
17	29.8	43.0	28.7	47.8
18	31.1	44.1	27.4	47.4
<b>Grade</b>				
6th	31.0	46.3	31.5	45.9
7th	34.4	46.7	32.1	47.3
8th	35.9	48.4	32.4	50.7
9th	34.9	44.7	32.2	51.7
10th	33.0	45.7	32.2	49.3
11th	32.7	44.3	29.7	49.5
12th	29.8	43.7	27.8	46.5
<b>Middle School</b>	33.8	47.1	32.0	47.9
<b>High School</b>	32.7	44.6	30.6	49.3
<b>Total</b>	<b>33.2</b>	<b>45.7</b>	<b>31.2</b>	<b>48.7</b>

Note: Table shows percentage of students who answered "yes" or "YES!"

Table 61. Percentage of surveyed Florida high school youth who reported adverse childhood experiences (ACEs), 2021

	Emotional Abuse	Physical Abuse	Sexual Abuse	Parents Separated or Divorced	Physical Abuse in Household	Substance Abuse in Household	Mental Illness in Household	Incarcerated Household Member	Emotional Neglect	Physical Neglect
	%	%	%	%	%	%	%	%	%	%
<b>Sex</b>										
Female	23.3	10.8	9.6	45.8	10.2	29.1	39.7	29.2	39.5	8.0
Male	10.2	9.5	2.5	38.2	6.3	22.9	23.2	24.1	24.5	5.5
<b>Race/Ethnic group</b>										
African American	12.4	10.2	4.9	49.6	6.2	14.2	16.0	29.7	32.0	6.4
Hispanic/Latino	15.5	10.6	4.3	38.8	6.6	20.4	24.9	23.1	32.0	4.7
White, non-Hispanic	18.7	8.3	7.2	39.4	8.7	32.3	40.9	24.5	30.3	7.0
<b>Age</b>										
11	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--
14	16.7	11.5	5.8	42.9	8.5	26.3	30.7	27.4	31.8	8.0
15	17.1	10.1	6.3	39.6	8.3	25.9	33.4	30.1	33.0	6.6
16	17.7	9.9	6.0	45.5	7.7	27.2	32.6	25.9	33.6	8.8
17	18.5	11.5	6.1	42.7	8.9	25.4	31.0	27.2	32.6	5.9
18	13.2	8.2	6.2	39.7	8.4	24.4	28.8	20.0	27.3	3.5
<b>Grade</b>										
6th	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--
9th	15.6	10.4	5.9	42.4	8.2	26.2	30.8	29.3	32.4	7.9
10th	18.5	10.9	6.1	42.2	8.1	26.2	32.3	28.3	33.7	7.6
11th	18.6	12.5	6.6	43.5	8.6	26.3	33.3	26.9	32.3	8.1
12th	15.8	7.5	5.9	40.1	8.2	25.3	30.3	21.6	30.6	3.3
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	17.1	10.4	6.1	42.1	8.3	26.0	31.6	26.6	32.3	6.8
<b>Total</b>	--	--	--	--	--	--	--	--	--	--

**Table 62. Number of adverse childhood experiences (ACEs) reported by surveyed Florida high school youth, 2021**

	Number of Adverse Childhood Experiences										
	0	1	2	3	4	5	6	7	8	9	10
	%	%	%	%	%	%	%	%	%	%	%
<b>Sex</b>											
Female	23.0	21.2	15.2	13.1	9.5	5.9	5.7	2.7	2.2	1.1	0.3
Male	35.9	23.5	15.2	9.5	6.9	4.3	2.4	1.2	0.4	0.4	0.2
<b>Race/Ethnic group</b>											
African American	29.0	24.9	19.4	10.3	7.9	4.0	2.0	1.0	0.8	0.3	0.3
Hispanic/Latino	33.0	23.5	15.3	10.6	6.4	4.7	4.0	1.5	0.5	0.3	0.2
White, non-Hispanic	29.2	21.6	12.9	12.1	9.1	5.4	4.4	2.4	1.7	1.0	0.2
<b>Age</b>											
11	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--
14	30.1	21.8	14.2	11.8	8.3	4.7	3.1	2.3	2.2	1.4	0.0
15	30.2	22.3	13.0	10.7	10.1	5.3	3.6	2.0	1.3	1.1	0.3
16	26.9	22.7	16.3	11.9	7.7	5.8	4.1	2.0	1.5	0.6	0.5
17	31.0	20.2	15.1	10.6	8.6	4.1	6.1	2.2	0.9	0.9	0.3
18	30.1	24.6	16.2	13.0	6.3	5.4	2.3	1.4	0.7	0.0	0.0
<b>Grade</b>											
6th	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--
9th	29.1	22.2	15.0	11.3	9.1	5.4	3.2	2.1	1.5	1.0	0.2
10th	28.9	22.7	13.9	12.2	8.4	4.6	3.8	2.4	1.5	1.2	0.5
11th	30.9	19.6	15.3	9.6	8.0	6.3	5.4	2.2	1.6	0.7	0.4
12th	28.6	24.5	16.2	12.7	7.6	4.2	4.1	1.3	0.5	0.2	0.0
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	29.4	22.2	15.1	11.4	8.3	5.1	4.1	2.0	1.3	0.8	0.3
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 63. Family job loss and student emotional health during the COVID-19 pandemic among surveyed Florida youth, 2021**

	Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?			How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?				
	No %	Yes %	No Adult Had a Job %	A Lot Better %	A Little Better %	About the Same %	A Little Worse %	A Lot Worse %
<b>Sex</b>								
Female	57.3	33.1	9.6	10.9	9.5	23.3	28.5	27.7
Male	64.2	25.8	9.9	17.4	11.4	39.6	20.2	11.4
<b>Race/Ethnic group</b>								
African American	63.5	26.8	9.8	24.1	11.6	33.4	17.2	13.7
Hispanic/Latino	56.2	34.1	9.7	15.6	11.5	30.3	24.4	18.1
White, non-Hispanic	63.5	27.1	9.4	9.0	9.0	31.9	26.8	23.3
<b>Age</b>								
11	59.8	28.2	12.0	17.7	12.8	29.6	24.6	15.3
12	62.1	24.1	13.8	16.5	10.6	32.5	24.4	16.1
13	63.5	26.4	10.2	12.6	11.7	30.8	23.0	21.9
14	62.9	28.2	8.9	13.1	10.1	32.6	25.0	19.2
15	58.4	32.4	9.2	13.7	8.6	28.3	26.5	22.9
16	57.3	32.9	9.8	13.5	10.7	30.0	24.7	21.1
17	60.8	31.2	8.0	14.6	9.3	35.2	22.3	18.6
18	60.7	33.1	6.2	12.5	11.4	31.3	22.7	22.0
<b>Grade</b>								
6th	60.1	26.4	13.5	18.9	12.8	29.5	22.7	16.0
7th	65.3	23.7	11.0	14.7	10.1	33.1	23.6	18.5
8th	62.4	28.7	8.9	11.4	10.4	33.1	24.1	21.0
9th	60.9	29.2	9.9	15.0	9.5	27.8	27.5	20.2
10th	58.0	31.9	10.1	10.9	10.2	31.9	23.9	23.0
11th	59.7	32.6	7.7	15.2	9.3	31.9	24.4	19.2
12th	58.6	33.9	7.5	12.6	10.7	32.7	23.4	20.6
<b>Middle School</b>	62.6	26.3	11.1	14.9	11.1	31.9	23.5	18.6
<b>High School</b>	59.3	31.8	8.8	13.4	9.9	31.0	24.8	20.8
<b>Total</b>	<b>60.8</b>	<b>29.4</b>	<b>9.8</b>	<b>14.1</b>	<b>10.4</b>	<b>31.4</b>	<b>24.3</b>	<b>19.8</b>

Note: Percentages total to 100% across each row for each survey question. Rounding can produce totals that do not equal 100%.

Table 64. Percentage of Florida youth with elevated protective factor scale scores, 2021

	Middle School	High School	Overall
<b>Family Domain</b>			
Family Opportunities for Prosocial Involvement	51	53	52
Family Rewards for Prosocial Involvement	47	47	47
<b>School Domain</b>			
School Opportunities for Prosocial Involvement	51	59	56
School Rewards for Prosocial Involvement	49	59	55
<b>Peer and Individual Domain</b>			
Religiosity	37	46	42
<b>Protective Factor Average</b>	<b>47</b>	<b>53</b>	<b>50</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 65. Percentage of Florida youth with elevated risk factor scale scores, 2021

	Middle School	High School	Overall
<b>Community Domain</b>			
Laws and Norms Favorable to Drug Use	43	31	36
Perceived Availability of Drugs	33	18	25
Perceived Availability of Handguns	25	30	28
<b>Family Domain</b>			
Poor Family Management	46	37	41
Family Conflict	45	33	38
<b>School Domain</b>			
Poor Academic Performance	48	49	49
Lack of Commitment to School	72	66	69
<b>Peer and Individual Domain</b>			
Favorable Attitudes toward Antisocial Behavior	53	41	46
Favorable Attitudes toward ATOD Use	35	33	34
Early Initiation of Drug Use	23	14	18
<b>Risk Factor Average</b>	<b>42</b>	<b>35</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 66. Percentage of youth from the national normative sample with elevated protective factor scale scores

	Middle School	High School	Overall
<b>Family Domain</b>			
Family Opportunities for Prosocial Involvement	59	54	56
Family Rewards for Prosocial Involvement	54	55	55
<b>School Domain</b>			
School Opportunities for Prosocial Involvement	57	60	59
School Rewards for Prosocial Involvement	53	58	55
<b>Peer and Individual Domain</b>			
Religiosity	56	62	59
<b>Protective Factor Average</b>	<b>56</b>	<b>58</b>	<b>57</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 67. Percentage of youth from the national normative sample with elevated risk factor scale scores

	Middle School	High School	Overall
<b>Community Domain</b>			
Laws and Norms Favorable to Drug Use	42	42	42
Perceived Availability of Drugs	45	45	45
Perceived Availability of Handguns	25	42	34
<b>Family Domain</b>			
Poor Family Management	44	45	45
Family Conflict	42	37	39
<b>School Domain</b>			
Poor Academic Performance	45	48	47
Lack of Commitment to School	47	46	46
<b>Peer and Individual Domain</b>			
Favorable Attitudes toward Antisocial Behavior	40	46	43
Favorable Attitudes toward ATOD Use	39	45	42
Early Initiation of Drug Use	41	46	43
<b>Risk Factor Average</b>	<b>41</b>	<b>44</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 68. Percentage of Florida middle school youth with elevated protective factor scale scores—2010 to 2021

	2010	2012	2014	2016	2018	2020	2021
<b>Family Domain</b>							
Family Opportunities for Prosocial Involvement	56	59	60	60	58	57	51
Family Rewards for Prosocial Involvement	50	55	55	56	50	50	47
<b>School Domain</b>							
School Opportunities for Prosocial Involvement	47	50	51	53	54	51	51
School Rewards for Prosocial Involvement	45	52	50	49	45	44	49
<b>Peer and Individual Domain</b>							
Religiosity	51	50	47	49	46	42	37
<b>Protective Factor Average</b>	<b>50</b>	<b>53</b>	<b>53</b>	<b>53</b>	<b>51</b>	<b>49</b>	<b>47</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 69. Percentage of Florida high school youth with elevated protective factor scale scores—2010 to 2021

	2010	2012	2014	2016	2018	2020	2021
<b>Family Domain</b>							
Family Opportunities for Prosocial Involvement	55	56	58	59	57	57	53
Family Rewards for Prosocial Involvement	53	54	56	56	51	53	47
<b>School Domain</b>							
School Opportunities for Prosocial Involvement	60	61	62	63	64	60	59
School Rewards for Prosocial Involvement	59	61	60	59	55	54	59
<b>Peer and Individual Domain</b>							
Religiosity	60	59	57	57	54	52	46
<b>Protective Factor Average</b>	<b>57</b>	<b>58</b>	<b>59</b>	<b>59</b>	<b>56</b>	<b>55</b>	<b>53</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 70. Percentage of Florida middle school youth with elevated risk factor scale scores—2010 to 2021**

	2010	2012	2014	2016	2018	2020	2020
<b>Community Domain</b>							
Laws and Norms Favorable to Drug Use	44	38	36	37	38	41	43
Perceived Availability of Drugs	48	40	40	37	35	34	33
Perceived Availability of Handguns	25	23	24	24	24	23	25
<b>Family Domain</b>							
Poor Family Management	48	43	40	40	43	43	46
Family Conflict	42	38	38	38	39	42	45
<b>School Domain</b>							
Poor Academic Performance	43	41	42	42	43	46	48
Lack of Commitment to School	54	48	52	53	60	69	72
<b>Peer and Individual Domain</b>							
Favorable Attitudes toward Antisocial Behavior	47	41	38	39	43	49	53
Favorable Attitudes toward ATOD Use	41	34	32	32	35	35	35
Early Initiation of Drug Use	35	29	25	23	24	24	23
<b>Risk Factor Average</b>	<b>43</b>	<b>38</b>	<b>37</b>	<b>37</b>	<b>38</b>	<b>41</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 71. Percentage of Florida high school youth with elevated risk factor scale scores—2010 to 2021**

	2010	2012	2014	2016	2018	2020	2020
<b>Community Domain</b>							
Laws and Norms Favorable to Drug Use	38	35	33	31	32	32	31
Perceived Availability of Drugs	37	32	31	27	24	20	18
Perceived Availability of Handguns	38	34	37	36	34	31	30
<b>Family Domain</b>							
Poor Family Management	46	41	38	38	37	35	37
Family Conflict	37	35	33	33	34	34	33
<b>School Domain</b>							
Poor Academic Performance	46	44	43	44	43	46	49
Lack of Commitment to School	51	46	52	54	57	63	66
<b>Peer and Individual Domain</b>							
Favorable Attitudes toward Antisocial Behavior	41	38	36	35	36	38	41
Favorable Attitudes toward ATOD Use	40	39	38	36	34	32	33
Early Initiation of Drug Use	33	30	26	22	19	17	14
<b>Risk Factor Average</b>	<b>41</b>	<b>37</b>	<b>37</b>	<b>36</b>	<b>35</b>	<b>35</b>	<b>35</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.